


Ovens

K-71L66BNH-ES



Highligths

- Pyrolytic & Multifunction Oven - 78lt, Black
- Electronic Control - Slim LED Touch
- 8 Functions
- Wire Racks + Standard Telescopic Rails
- 4 Glass Door + Door Lock
- Pyrolytic Cleaning
- PowerBoost
- SoftClosingDoor + DoorSwitch
- Removable Inner Glass
- 2 trays (1 shallow, 1 deep)
- Energy class: A

SHARP
Be Original.



Our Pyrolytic ovens mean no more scrubbing, keeping your oven sparklingly clean. Self-cleaning process is set at 480°C that turns all residue to ash which can be easily removable from the oven.



Enables you to take heavy trays out safely and effortlessly from the hot oven.



The oven door closes by itself gently and quietly thanks to a special hinge



Getting your food off to a flying start. It reduces the preheating duration by 50%, helping you to save time and energy.



Reactive lighting so you are not using unnecessary energy. Lighting will switch off when the door is closed and inactive.

Ezaugarri
gehiago

SHARP
Be Original.

Key Features

Colour	Black
Warranty (years)	2 years parts and labour
Construction type	Built-in
Energy efficiency class	A
Control type	Touch
Colour LCD	-
Oven Opening	Drop Down
Door type (number of glass doors)	Quaternary
Rack type	Wire rack
Number of shelf levels	9
Handle	Black Margo Handle
Timer Type	Slim LED Touch
Air Curtain	Ez-
Power Rating	3100

Other features

EAN CODE	4550556101295
----------	---------------

Dimensions and Weight

Width	60
Weight (net)(kg)	37,35
Cavity Dimension (W) x (D) x (H) mm	475 x 392 x 413
Oven dimensions (W x H x D) (mm)	595 x 595 x 575
Oven capacity (L)	78
Cut-out dimensions (W x H x D) (mm)	60 x 60 x 59
Gross Weight (kg)	39,2
Packing Dimensions (WxDxH) (mm)	65 x 65 x 64

Accessories

Oven light	Bai
Soft closing door	Bai
Telescopic rails	1 set of standard telescopic rails
RoastPro Meat Probe	Ez-
RoastPro Turnspit	Ez-
Door switch	Bai
Pizza set	Ez-
Grid	1
Tray	1
Main cable	SPECDEFAULTYES (1.6 m)

Set de mânere pentru tigaia de tip grătar	Ez-
-------------------------------------------	-----

Functions

Number of functions	8
Oven functions	Defrost, Fan+Ring, Bottom, Top+Bottom, Top+Botto+Fan, Pizza, Double Grill, Double Grill + Fan, Pyrolysis
VapClean	-
PowerBoost	Bai
AutoCooking programs (number)	Bai
Temperature range (°C)	50-275

Safety

Cooling fan	Bai
ActiveCool technology	Bai
Door Lock	Ez-

Power, Consumption and Voltage

Top heating element (W)	1200
Bottom heating element (W)	1100
Grill(W)	-
Double grill(W)	2600

Fan(W)	23
Fan with fan ring (W)	2000
Energy consumption - static (kWh / cycle)	0,93
Energy consumption - fan forced (kWh / cycle)	0,83
Voltage / Frequency (V) / (Hz)	220-240V 50-60Hz
Line Fuse / Circuit Breker (A)	13,5

Oven Features

Cleaning type	Pyrolytic Enamel
Heat type	Multifunctional
Cavity volume (L)	78
Removable Inner Glass Door	Bai
Oven Interior Material	Pyrolytic enamel