KH-6134BS00-ES



Highligths


- Induction hob 60 cm
- 3 zones
- Front bevel
- 2x16cm, 1x29cm + CookBridge
- 3 Boosters (max. 3600 W)
- SliderTouch Control, 3 Timers
- AutoHeatControl
- Hot Surface Indicator
- Key Lock

- Stop&Go
- Key Lock





Keep your children safe from accidentally using the microwave with the easy to set up Child Lock.



The ultimate in versatility, CookBridge provides flexibility for pans of all shapes and sizes. By simply combining two induction zones you can create an extra large zone for big pots and pans.



Simple yet effective, Sharp puts the most common cooking tasks at your fingertips, allowing you to boil, fry, melt chocolate and keep your food warm at the touch of a button.



Maximum power in seconds for a speed-up heating and a cooking time reduction.



Intuitive sliding controls allow you to select the power level easily.



Freeze time when you need to. Our Stop&Go technology allows you to pause and take that all important call when cooking, then press again to continue.

Ezaugarri gehiago



Key Features

Colour Black

Construction type Built-in

Width (cm) 60

Flexible zone 1 x Bridge Zone

Control location Front

Frame -

Bevel Front Bevel

Zone dimensions (mm) / Power (W)

(Boost W)

"1 x 16 cm / 1400 W (Boost 1800 W) 1 x 16 cm / 1400 W (Boost 1800 W) 1 x 29 cm / 2800 W (Boost 3500

W)

Total power (kW) 7,2

Power levels (Nbr)

Other features

Control Type SliderTouch

Dimensions and Weight

Brutto dimensions W \times H \times D (cm) 62.6 \times 14.2 \times 58.1

Net Weight (kg) 8,99

Hob dimensions W x H x D (cm) $59 \times 5.6 \times 52$

Cut-out dimensions (W x H x D) (mm) 56×49

Brutto weight (kg) 9,92

European Article Number

EAN Code 4550556101325

Accessories

Spatula Bai

Functions

Stop & Go

InductionBoost Bai

AutoHeatControl Bai

Timers (Nbr)

InductionBoost (Nbr)

2xZone -

3xZone -

Extended2xZone

Multislider Control Ez-

CookBridge Bai

Power Management

SliderTouch Bai Timer function Bai EasyToClean Surface Bai Safety Pan detector Thermal cut off system Bai Hot surface indicator Bai Key lock Bai Auto OFF Bai Child lock(safety) Bai

Power, Consumption and Voltage

Voltage (V) / Frequency (Hz) 220-240V~/380-415V 3N~

Fuse rating (A) 32

Hob Features

Hob type Induction

Cooking zones (Nbr)

Hot surface indicator(hob)

