

Hobs

KH-6I34BS00-ES




Highligths

- Induction hob - 60 cm
- 3 zones
- Front bevel
- 2x16cm, 1x29cm + CookBridge
- 3 Boosters (max. 3600 W)
- SliderTouch Control, 3 Timers
- AutoHeatControl
- Hot Surface Indicator
- Key Lock
- Stop&Go
- Key Lock

SHARP
Be Original.



Keep your children safe from accidentally using the microwave with the easy to set up Child Lock.



The ultimate in versatility, CookBridge provides flexibility for pans of all shapes and sizes. By simply combining two induction zones you can create an extra large zone for big pots and pans.



Simple yet effective, Sharp puts the most common cooking tasks at your fingertips, allowing you to boil, fry, melt chocolate and keep your food warm at the touch of a button.



Maximum power in seconds for a speed-up heating and a cooking time reduction.



Intuitive sliding controls allow you to select the power level easily.



Freeze time when you need to. Our Stop&Go technology allows you to pause and take that all important call when cooking, then press again to continue.

Ezaugarri
gehiago

SHARP
Be Original.

Key Features

Colour	Black
Construction type	Built-in
Width (cm)	60
Flexible zone	1 x Bridge Zone
Control location	Front
Frame	-
Bevel	Front Bevel
Zone dimensions (mm) / Power (W) (Boost W)	*1 x 16 cm / 1400 W (Boost 1800 W) 1 x 16 cm / 1400 W (Boost 1800 W) 1 x 29 cm / 2800 W (Boost 3500 W)
Total power (kW)	7,2
Power levels (Nbr)	9

Other features

Control Type	SliderTouch
--------------	-------------

Dimensions and Weight

Brutto dimensions W x H x D (cm)	62.6 x 14.2 x 58.1
Net Weight (kg)	8,99
Hob dimensions W x H x D (cm)	59 x 5.6 x 52
Cut-out dimensions (W x H x D) (mm)	56 x 49

Brutto weight (kg)	9,92
--------------------	------

European Article Number

EAN Code	4550556101325
----------	---------------

Accessories

Spatula	Bai
---------	-----

Functions

Stop & Go	Bai
InductionBoost	Bai
AutoHeatControl	Bai
Timers (Nbr)	3
InductionBoost (Nbr)	3
2xZone	-
3xZone	-
Extended2xZone	-
Multislider Control	Ez-
CookBridge	Bai
Power Management	-

SliderTouch	Bai
Timer function	Bai
EasyToClean Surface	Bai

Safety

Pan detector	-
Thermal cut off system	Bai
Hot surface indicator	Bai
Key lock	Bai
Auto OFF	Bai
Child lock(safety)	Bai

Power, Consumption and Voltage

Voltage (V) / Frequency (Hz)	220-240V~/380-415V 3N~
Fuse rating (A)	32

Hob Features

Hob type	Induction
Cooking zones (Nbr)	3
Hot surface indicator(hob)	Bai