


Ovens

K-71L66BNH-ES



Highligths

- Pyrolytic & Multifunction Oven - 78lt, Black
- Electronic Control - Slim LED Touch
- 8 Functions
- Wire Racks + Standard Telescopic Rails
- 4 Glass Door + Door Lock
- Pyrolytic Cleaning
- PowerBoost
- SoftClosingDoor + DoorSwitch
- Removable Inner Glass
- 2 trays (1 shallow, 1 deep)
- Energy class: A

SHARP
Be Original.



Our Pyrolytic ovens mean no more scrubbing, keeping your oven sparklingly clean. Self-cleaning process is set at 480°C that turns all residue to ash which can be easily removable from the oven.



Enables you to take heavy trays out safely and effortlessly from the hot oven.



The oven door closes by itself gently and quietly thanks to a special hinge



Getting your food off to a flying start. It reduces the preheating duration by 50%, helping you to save time and energy.



Reactive lighting so you are not using unnecessary energy. Lighting will switch off when the door is closed and inactive.

Máis
características

SHARP
Be Original.

Key Features

| | |
|-----------------------------------|--------------------------|
| Colour | Black |
| Warranty (years) | 2 years parts and labour |
| Construction type | Built-in |
| Energy efficiency class | A |
| Control type | Touch |
| Colour LCD | - |
| Oven Opening | Drop Down |
| Door type (number of glass doors) | Quaternary |
| Rack type | Wire rack |
| Number of shelf levels | 9 |
| Handle | Black Margo Handle |
| Timer Type | Slim LED Touch |
| Air Curtain | Non |
| Power Rating | 3100 |

Other features

| | |
|----------|---------------|
| EAN CODE | 4550556101295 |
|----------|---------------|

Dimensions and Weight

| | |
|-------------------------------------|-----------------|
| Width | 60 |
| Weight (net)(kg) | 37,35 |
| Cavity Dimension (W) x (D) x (H) mm | 475 x 392 x 413 |
| Oven dimensions (W x H x D) (mm) | 595 x 595 x 575 |
| Oven capacity (L) | 78 |
| Cut-out dimensions (W x H x D) (mm) | 60 x 60 x 59 |
| Gross Weight (kg) | 39,2 |
| Packing Dimensions (WxDxH) (mm) | 65 x 65 x 64 |

Accessories

| | |
|---------------------|------------------------------------|
| Oven light | Si |
| Soft closing door | Si |
| Telescopic rails | 1 set of standard telescopic rails |
| RoastPro Meat Probe | Non |
| RoastPro Turnspit | Non |
| Door switch | Si |
| Pizza set | Non |
| Grid | 1 |
| Tray | 1 |
| Main cable | SPECDEFAULTYES (1.6 m) |

Set de mânere pentru tigaia de tip grătar
Grill pan handle set

Non

Functions

Number of functions

8

Oven functions

Defrost, Fan+Ring, Bottom, Top+Bottom, Top+Botto+Fan, Pizza, Double Grill, Double Grill + Fan, Pyrolysis

VapClean

-

PowerBoost

Si

AutoCooking programs (number)

Si

Temperature range (°C)

50-275

Safety

Cooling fan

Si

ActiveCool technology

Si

Door Lock

Non

Power, Consumption and Voltage

Top heating element (W)

1200

Bottom heating element (W)

1100

Grill(W)

-

Double grill(W)

2600

Fan(W)

23

Fan with fan ring (W)

2000

Energy consumption - static (kWh / cycle)

0,93

Energy consumption - fan forced (kWh / cycle)

0,83

Voltage / Frequency (V) / (Hz)

220-240V 50-60Hz

Line Fuse / Circuit Breker (A)

13,5

Oven Features

Cleaning type

Pyrolytic Enamel

Heat type

Multifunctional

Cavity volume (L)

78

Removable Inner Glass Door

Si

Oven Interior Material

Pyrolytic enamel

SHARP
Be Original.