

Ovens

K-71V28BM2-ES



Highlights

- Pyrolytic & multifunction oven - 78lt, black
- Electronic Control
- 8 functions
- Wire racks + Full telescopic rails
- 4 glass door + door lock
- Removable inner glass
- 2 trays (1 shallow, 1 deep)
- Energy class: A

SHARP
Be Original.



Our Pyrolytic ovens mean no more scrubbing, keeping your oven sparklingly clean. Self-cleaning process is set at 480°C that turns all residue to ash which can be easily removable from the oven.



Enables you to take heavy trays out safely and effortlessly from the hot oven.



Reactive lighting so you are not using unnecessary energy. Lighting will switch off when the door is closed and inactive.



The bigger the better. The large cavity makes it suitable to cook for a large family.



Taking the hassle out of keeping your oven clean, our removable inner glass oven door makes it incredibly easy to wash even in dishwasher.

SHARP
Be Original.

Key Features

Colour	Black
Warranty (years)	2 years parts and labour
Construction type	Built-in
Energy efficiency class	A
Control type	Electronic
Colour LCD	-
Oven Opening	Drop Down
Door type (number of glass doors)	Full glass door (4)
Rack type	Wire rack
Number of shelf levels	5
Handle	Titan
Timer Type	Visio Timer
Air Curtain	Non
Power Rating	2600

Dimensions and Weight

Width	60
Weight (net)(kg)	38,35
Cavity Dimension (W) x (D) x (H) mm	475 x 392 x 413

Oven dimensions (W x H x D) (mm)	595 x 595 x 575
Oven capacity (L)	78
Cut-out dimensions (W x H x D) (mm)	60 x 60 x 59
Gross Weight (kg)	40,22
Packing Dimensions (WxDxH) (mm)	65 x 65 x 64

Code EAN

EAN Code	4550556101318
----------	---------------

Accessories

Oven light	SPECDEFAULTYES (Top)
Soft closing door	Si
Telescopic rails	1 set of full telescopic rails
RoastPro Meat Probe	Non
RoastPro Turnspit	Non
Door switch	Si
Pizza set	SPECDEFAULTYES (optional)
Grid	1
Tray	2 (1 shallow, 1 deep)
Main cable	SPECDEFAULTYES (1.6 m)

Set de mâneră pentru tigaia de tip
grătarGrill pan handle set

Non

Functions

Number of functions

8

Oven functions

Defrost, Top+Bottom,
Top+Bottom+Fan, Grill,
Double Grill, Pyrolysis,
Double Grill+Fan,
Top+Bottom+Fan+Ring

VapClean

-

PowerBoost

-

AutoCooking programs (number)

-

Temperature range (°C)

50-270

Safety

Cooling fan

Si

ActiveCool technology

Si

Door Lock

Si

Power, Consumption and Voltage

Top heating element (W)

1200

Bottom heating element (W)

1100

Grill(W)

1400

Double grill(W)

1400-2600

Fan(W)

23

Fan with fan ring (W)

2000

Energy consumption - static (kWh /
cycle)

0,93

Energy consumption - fan forced (kWh
/ cycle)

0,83

Voltage / Frequency (V) / (Hz)

220-240V 50-60Hz

Line Fuse / Circuit Breaker (A)

11,3

Oven Features

Cleaning type

Pyrolytic

Heat type

Multifunction

Cavity volume (L)

78

Removable Inner Glass Door

Si

Oven Interior Material

Pyrolytic enamel

SHARP
Be Original.