

Hobs

KH-6V13BS00




HighLighths

- Key Lock
- Ceramic hob - 60 cm
- 3 radiant heaters
- Beveled front edge
- 1x14.5cm, 1x18cm, 1x27cm "3xZone"
- Tactile slider, 3 Timers
- Residual heat indicator

SHARP
Be Original.




Small to large size variation, our 3xZone allows true flexibility when it comes to selecting the perfect size for your pans.



Intuitive sliding controls allow you to select the power level easily.



Ideal for multi-cooking. So whether it's boiling, frying or sauteeing, you can set individual timers to switch off automatically.



Our ovens will let you know when the zone is at a safe temperature after cooking.



The smooth glass ceramic surface is especially easy to clean.



SHARP
Be Original.

Características chave

Colour	Black
Modes d'image	2 years parts and labour
Construction type	Built-in
Width (cm)	60
Control type	Slider
Hob type	Vitroc ceramic
Cooking zones	3
Flexible zone	3xZone
Zone dimensions / Power (Boost W)	2 x 14.5 cm / 1200 W; 1 x 18 cm / 1800 W; 1 x 27 cm 3xZone / 2700 W
Total power	5.7
Control location	Front
Power levels	9
Frame	Não
Bevel	Front Bevel
Width (cm)	60
Cooking zones (Nbr)	3
Zone dimensions (mm) / Power (W) (Boost W)	2 x 145 mm / 1200 W; 1 x 180 mm / 1800 W; 1 x 290 mm 3xZone / 2700 W
Total power (kW)	5.7
Power levels (Nbr)	9

Dimensões e pesos

Dimensões da embalagem (LxPx A) (mm)	620x133x578
Peso líquido (kg)	9.5
Peso bruto (kg)	10.25
Dimensões de corte (L x A x P) (mm)	560 x 490
Hob dimensions (W x H x D)	590 x 41 x 520
Dimensões de Brutto L x A x P (cm)	620 x 133 x 578
Peso líquido (kg)	9.5
Dimensões do fogão L x A x P (cm)	590 x 41 x 520
Dimensões de corte (L x A x P) (mm)	560 x 490
Peso Brutto (kg)	10.25

Número europeu de artigo

AVS	4974019872230
-----	---------------

Potência, consumo e tensão

Voltage / Frequency (V) / (Hz)	220-240 / 50
Distribution line fuse / circuit breaker (A)	25

Acessórios

Main cable Yes (1.1 m)

Spatula Sim

Funções

Controle de aquecimento automático Não

Stop & Go Não

Cronômetros 3

InductionBoost -

AutoHeatControl Não

Temporizadores (Nbr) 3

InductionBoost (Nbr) Não

Segurança

Pan detector Não

Thermal cut off system Sim

Hot surface indicator Sim

Key lock Sim

Auto OFF Sim

Child lock(safety) Sim

AutoOFF Sim

Energy consumption - fan forced (kWh / cycle) 2 x 14,5 cm / 1200 W; 1 x 18 cm / 1800 W; 1 x 27 cm 3xZone / 2700 W

Voltage (V) / Frequency (Hz) 220-240 V / 50 Hz

Fuse rating (A) 25

SHARP
Be Original.