

Ovens

KA-70Z68BNM-ES



HighLigths

- Catalytic & Multifunction Oven - 78lt, Black
- Electronic Control
- 10 Functions
- Wire racks + Standard telescopic rails
- Removable Inner Glass
- 3 trays (1 shallow, 1 deep, 1 small)
- Energy class: A
- Insulation: Yellow
- Low-e

SHARP
Be Original.




The smooth enamel interior helps make cleaning your oven easier.



By softening the oven dirt with steam, the VapClean function helps take the effort out of cleaning, gently steaming the inside of your oven.



Enables you to take heavy trays out safely and effortlessly from the hot oven.



The bigger the better. The large cavity makes it suitable to cook for a large family.



Taking the hassle out of keeping your oven clean, our removable inner glass oven door makes it incredibly easy to wash even in dishwasher.



Keep the heat where it needs to be. With an in-built air stream system, our ovens protect your face with an Air Curtain, keeping hot air in the oven even when you need to open the door.

Mais recursos

SHARP
Be Original.

Características chave

| | |
|-----------------------------------|--------------------------|
| Colour | Black |
| Modes d'image | 2 years parts and labour |
| Construction type | Built-in |
| Energy efficiency class | A |
| Control type | Knob |
| Colour LCD | - |
| Oven Opening | Drop Down |
| Door type (number of glass doors) | Triple |
| Rack type | Wire rack |
| Number of shelf levels | 9 |
| Timer Type | FD Visio Touch |
| Air Curtain | Sim |
| Power Rating | 3100 |

Outras características

| | |
|----------|---------------|
| EAN CODE | 4550556101271 |
|----------|---------------|

Dimensões e pesos

| | |
|---------|----|
| Largura | 60 |
|---------|----|

| | |
|--|---------------------|
| Peso (líquido) (kg) | 30,54 |
| Dimensões da cavidade (L x A x P) (mm) | 475,4 x 392 x 413,4 |
| Dimensões do forno (L x A x P) (mm) | 595 x 595 x 575 |
| Capacidade do forno (L) | 78 |
| Dimensões de corte (L x A x P) (mm) | 60 x 60 x 59 |
| Peso bruto (kg) | 32,4 |
| Dimensões da embalagem (LxPxA) (mm) | 65 x 65 x 64 |

Acessórios

| | |
|---|------------------------------------|
| Oven light | Sim |
| Soft closing door | Sim |
| Telescopic rails | 1 set of standard telescopic rails |
| RoastPro Meat Probe | Não |
| RoastPro Turnspit | Não |
| Door switch | Não |
| Pizza set | Não |
| Grid | 1 |
| Tray | 3 |
| Main cable | SPECDEFAULTYES (1.6 m) |
| Set de mânere pentru tigaia de tip grătarGrill pan handle set | Não |

Funções

| | |
|--|--|
| Número de funções | 10 |
| Funções do forno | Defrost, Turbo, Bottom, Top+Bottom, Top+Botto+Fan, Pizza, Grill, Grill + Fan, 3D, VapClean |
| VapClean | Sim |
| PowerBoost | - |
| Programas de cozinha automática (número) | - |
| Faixa de temperatura (° C) | 50-270 |

Segurança

| | |
|-----------------------|-----|
| Cooling fan | Sim |
| ActiveCool technology | Não |
| Door Lock | Não |

| | |
|----------------------------|------|
| Top heating element (W) | 1200 |
| Bottom heating element (W) | 1100 |
| Grill(W) | 1400 |
| Double grill(W) | - |
| Fan(W) | 45 |

| | |
|---|------------------|
| Fan with fan ring (W) | Não |
| Energy consumption - static (kWh / cycle) | 0,93 |
| Energy consumption - fan forced (kWh / cycle) | 0,83 |
| Voltage / Frequency (V) / (Hz) | 220-240V 50-60Hz |
| Line Fuse / Circuit Breker (A) | 13,5 |

Características do forno

| | |
|----------------------------|------------------------------------|
| Tipo de limpeza | ETC Enamelled / Grey |
| Tipo de calor | Multifunctional |
| Volume da cavidade (L) | 78 |
| Lidar com | Metal Margo Handle |
| Removable Inner Glass Door | Sim |
| Oven Interior Material | Grey enamel + Catalytic back panel |

SHARP
Be Original.