K-61D27IM1-FR



Highligths

- Pyrolytic & fan assisted oven 68lt, inox
- Electronic Control
- 6 functions
- Wire racks
- 4 glass door + door lock
- Removable Inner Glass
- 2 trays (1 shallow, 1 deep)
- Energy class: A





Our Pyrolytic ovens mean no more scrubbing, keeping your oven sparklingly clean. Self-cleaning process is set at 480°C that turns all residue to ash which can be easily removable from the oven.





Taking the hassle out of keeping your oven clean, our removable inner glass oven door makes it incredibly easy to wash even in dishwasher.



The kitchen should always look clean and shiny, this helps prevent greasy finger marks on the fridge as you go about the bustle of the kitchen.



Key Features

Colour	Inox (antifingerprint)
Warranty (years)	2 years parts and labou
Oven interior material	Pyrolytic enamel
Cleaning type	Pyrolytic
Heat type	Fan assisted
Cavity volume (L)	68
Construction type	Built-in
Width (cm)	60
Energy efficiency class	А
Control type	Electronic
Colour LCD	No
Oven Opening	Drop-down door
Door type (number of glass doors)	Full glass door (4)
Removable inner glass door	Yes
Rack type	Wire rack
Number of shelf levels	5
Handle	Inox

Dimensions and Weight

Packing Dimensions (WxDxH) (mm)	680x640x630
Net Weight (kg)	34.3
Gross Weight (kg)	37
Cavity dimensions (W x H x D) (mm)	450 x 404 x 352
Oven dimensions (W x H x D) (mm)	595 x 595 x 575
Cut-out dimensions (W \times H \times D) (mm)	580 x 590 x 555
Oven capacity (L)	68

European Article Number

EAN Code 4974019880525

Power, consumption, and voltage

Voltage / Frequency (V) / (Hz)	220-240 / 50
Distribution line fuse / circuit breaker (A)	11.3
Power rating (W)	2600
Top heating element (W)	1200
Bottom heating element (W)	1100
Grill(W)	1400
Double grill(W)	1400-2600
Fan(W)	23



Fan with fan ring (W)

Energy consumption - static (kWh / cycle)

Energy consumption - fan forced

0.87

Accessories

RoastPro Meat Probe

Oven light Yes (top)

Soft closing door No

Telescopic rails No

RoastPro Turnspit No

Door switch No

Pizza set Yes (Optional)

Grid 1

Tray 2 (1 shallow, 1 deep)

Main cable Yes (1.6 m)

Functions

Number of functions 6

Oven functions Defrost, Top+Bottom,

Top+Bottom+Fan, Grill, Double Grill, Pyrolysis

VapClean No

PowerBoost No

AutoCooking programs (number)

Temperature range (°C)

50-250

Safety

Cooling fan Yes

ActiveCool technology Yes

Door Lock Yes

