SHARP


Cooking Appliances Dealer Presentation

The Most Innovative Brand of 2021

PlusX Award







Sharp has won 23 awards from one of the most prestigious design and innovation awards, Plus X Awards 2021 in «Small and Large Home Appliances» category with 6 products of 2K20 Family Design Series.

Right along with 23 awards, Sharp has been awarded as the

«Most Innovative Brand» the top award of Plus X Award.



AGENDA

BUILT-IN OVENS

Premium Features & Technologies & Aesthetics Series I Line-up

Series I Line-up
Steam Family Line-up
Built-In Double Oven Line-up

BUILT-IN HOBS

Premium Features & Technologies
Induction Hob Line-up
Vitroceramic Line-up

3 POLYVALENT SETS: OVEN & HOB Line-up

FREESTANDING COOKERS

Freestanding Single Ovens Line-up
Freestanding Double Ovens Line-up



BUILT-IN OVENS

PREMIUM FEATURES
TECHNOLOGIES
AESTHETICS
LINE-UP









PREMIUM FEATURES
TECHNOLOGIES
AESTHETICS



Premium Features





Easy to Clean Enamel: The smooth enamel interior helps make cleaning your oven easier.



Family Size Cavity: The bigger the better. The large cavity makes it suitable to cook for a large family



Catalytic Cleaning: It is easy to clean and time saving: the catalytic liners work when the oven is heated to 220°C and Catalytic Cleaning residue is oxidized



Vap Clean

VapClean & VapClean+: By softening the oven dirt with steam, the VapClean & VapClean+ functions help take the effort out of cleaning, gently steaming the inside of your oven



Pyrolytic Cleaning: Our Pyrolytic ovens mean no more scrubbing, keeping your oven sparkling clean. Self-cleaning process is set at 480°C that turns all residue to ash which can be easily removable from the oven



ActiveCool: ActiveCool technology keeps the door temperature safe evenwhen self-cleaning. The 4 glass panel door ensures the outersurface remains cool, even at pyrolytic temperatures (480°C)



Premium Features







Love2Cook: While containing 150 autocooking programs, colourful 4,3" knob control TFT LCD display with Wi-Fi connectivity enabling remote control



RoastPro Turnspit: RoastPro Turnspit for all round cooking perfection. It delivers perfectly cooked whole chicken every Roast Pro Turnspit single time

Love2Cook Colour LCD Control Panel

150 Autocooking Recipes



50 Autocooking Recipes

Autocooking Programs: Created by pro-chefs, 50-150 built in programs create the ultimate oven to dish experience. We have created this to make your life easier; simply press a program and let the oven do the rest: set time, temperature, and oven function



RoastPro Meat Probe: Perfection temperature of your meat and make sure it is cooked to you like. Simply by using the sensor you can control the core. The ultimate cooking control gets your meat just the way



Power Boost

PowerBoost: Getting your food off to a flying start. It reduces the preheating duration by 50%, helping you to save time and energy



Telescopic Rails: Enables you to take heavy trays out safely and effortlessly from the hot oven



Premium Features





SoftClosing Door: The oven door closes by itself gently and quietly thanks to a special hinge



SteamAssisted: Enables you to take heavy trays out safely and effortlessly from the hot oven



DoorSwitch: It provides better vision by turning lighting on when the oven door is open and energy saving by turning off lighting when it is closed and inactive



AirCurtain: When oven door is opened during cooking, it creates an air stream between control panel and oven bottom panel.



Remove&Wash: Taking the hassle out of keeping your oven clean, our removable inner glass oven door makes it Remove & Wash incredibly easy to wash even in a dishwasher



AirStream: There are 2 function fans in the oven cavity which operate to create hot air stream and distribute the heat evenly through the cavity.



AquaBoost Oven





- Available in 75lt. standard single built-in oven platform
- Can be activated with the poured water into the form on the oven cavity base.
- Pyrolytic enamel coating inside the cavity
- Several different cooking functions are available with steam icon

Pour the water into the chamber

1






Select any function with Steam Icon





AquaBoost+ Oven





Key Features:

- Available in 75lt. standard single built-in oven platform
- Water tank can hold up to 300 ml of water.
- Can be activated with any cooking function by just pressing to the touch steam icon on the control panel.
- Pyrolytic enamel coating inside the cavity
- Control the timing and amount of water flowed to the form on the cavity base





Steam Assisted



FUNCTIONALITY



Steam Assisted Cooking: Manual or auto added moisture (thanks to a water tank with push-pull mechanism and to a steam generator).

VapClean Plus: Steam cleaning programme to soften the oven dirt.

The oven generates steam with water from the tank.





BENEFIT

Optimum baking and roasting results

(crispy & browned outer surface, juicy inside; the oven adapts steam quantity to the chosen autocooking program)

+ Fresh steam (the steam generator is outside the cavity)

+ Easy to clean







AirStream




FUNCTIONALITY



Two Fan Structure: There are 2 function fans in the oven cavity which operate to create hot air stream and distribute the heat evenly through the cavity.



Cavity with air canals: Thanks to these canals/holes on the sides of the cavity a horizontal air stream is created.







BENEFIT

Multiple dishes

(it saves both time and energy, enabling to make up to 5 pizzas or 100 cupcakes, all at once. It is ideal for large family)

Multi-dish cooking

(4 of dish can be cooked at the same time, keeps the smell of the dishes separated)

Optimum cooking results on every level of 5 (Picking the right tray level will not be a problem anymore)





Saves time and energy (Tested by Intertek):

Cooking at once helps **68% time saving** compared to cooking one by one,

Cooking 4 different dishes (without odor mixing) at once helps 63% energy saving compared to cooking one by one.



AirCurtain




FUNCTIONALITY



When oven door is opened during cooking, it creates an air stream between control panel and oven bottom panel.





BENEFIT

Protects the end user from being exposed to hot air when the oven door is opened.





Pizza Gourmet





















Key Features:

- Available with 75lt. Standard and Pyrolytic BI ovens
- Preheating duration is more or less 30 minutes
- Pizza is ready at the end of 3 minutes @320°C,
 recommended function «Top+Bottom+Fan»
- Baking pizza gets easier with the help of the pizza stone and shovel



Sharp in Black – Steam Family

Matte Black Sable Printed







Family Design Digital Touch Timer

AquaBoost Oven

Family Design Visio Touch Timer

AquaBoost+ Oven

Family Design Full Touch Timer
Steam Assisted Oven



Aesthetics

Knobs



Series I Knobs



Orbis



Luna



Signum

Series II Knobs



Onis (PIPO)



Apex (Mushroom)



Aesthetics


Handles

Series I Handles





Basic Margo Handle



Metal Margo Handle



Black Margo Handle






Control Panel Designs



Series I Control Panels



Series II Control Panels

FD Digital Touch Timer



FD Visio Touch Timer



Slim LED Touch Control Panel





Mechanical Timer





Entry Ovens







K-60M15IL2 / K-60M15BL2







| | SPECIFICATIONS |
|--------------------------------------|--|
| Oven Specifications | |
| Oven Type | Static |
| Cavity Volume | 72lt. |
| Control Panel Type | Inox (Antifinger Print) Metal / Black Metal |
| Energy Class | A |
| Cleaning Type | ETC (Easy to Clean) Enamel |
| Oven Controller | Mechanical Timer |
| Oven Functions | <u>ID.15 – 6 functions:</u> Ovenlight / Top+Bottom / Bottom / Top / Grill / Double Grill |
| Cavity Type / Rack Type | ETC Enamel – Gray / Molded rack |
| Aesthetical Features | |
| Handle | Titan – Inox |
| Knob | Orbis PIPO – Inox |
| Additional Information & Accessories | |
| Features | - |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray |
| Telescopic Rail | - |





K-50M22IL2 / K-50M22BL2





| | CONTRACTIONS | |
|--------------------------------------|---|--|
| | SPECIFICATIONS | |
| Oven Specifications | | |
| Oven Type | Fan Assisted | |
| Cavity Volume | 65lt. | |
| Control Panel Type | Inox (Antifinger Print) Metal / Black Metal | |
| Energy Class | A | |
| Cleaning Type | ETC (Easy to Clean) Enamel | |
| Oven Controller | Mechanical Timer | |
| Oven Functions | <u>ID.22 – 8 functions:</u> Ovenlight / Defrost / Top+Bottom / Top+Bottom+Fan / Grill / Double Grill / Double Grill+Fan | |
| Cavity Type / Rack Type | ETC Enamel – Gray / Molded rack | |
| Aesthetical Features | | |
| Handle | Titan – Inox | |
| Knob | Orbis PIPO – Inox | |
| Additional Information & Accessories | | |
| Features | - | |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray | |
| Telescopic Rail | - | |





K-60D22IM1 / K-60D22BM1













K-60D19IM1 / K-60D19BM1












KA-60D22IM1 / KA-60D22BM1















K-60V19IQM / K-60V19BQM















K-61D27IM1 / K-61D27BM1















K-61V28IM1 / K-61V28BM1










| | SPECIFICATIONS |
|--------------------------------|---|
| Oven Specifications | |
| Oven Type | Multifunction |
| Cavity Volume | 69lt. |
| Control Panel Type | Inox (Antifinger Print) Metal / Black Metal |
| Energy Class | A |
| Cleaning Type | Pyrolytic Cleaning |
| Oven Controller | Touch+ Timer |
| Oven Functions | ID.28 – 8 functions: Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Grill / Double Grill / Double Grill + Fan / Pyrolysis |
| Cavity Type / Rack Type | Pyrolytic Enamel / Wire rack |
| Aesthetical Features | |
| Handle | Titan – Inox |
| Knob | Luna PIPO – Inox |
| Additional Information & Acces | sories |
| Features | Remove&Wash, Mono Slim Stripe Add-On, ActiveCool |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray |
| Telescopic Rail | - |



K-71V28IM2 / K-71V28BM2 / K-71V28AM2











| | SPECIFICATIONS |
|-------------------------|---|
| Oven Specifications | |
| Oven Type | Multifunction |
| Cavity Volume | 78lt. |
| Control Panel Type | Inox (Antifinger Print) Metal / Black Metal / Dark Inox Metal |
| Energy Class | A |
| Cleaning Type | Pyrolytic Cleaning |
| Oven Controller | Touch+ Timer |
| Oven Functions | ID.28 – 8 functions: Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Grill / Double Grill / Double Grill + Fan / Pyrolysis |
| Cavity Type / Rack Type | Pyrolytic Enamel / Wire rack |
| Aesthetical Features | |
| Handle | Titan – Inox |

Knob Luna PIPO – Inox

Additional Information & Accessories

Telescopic Rail

| Features | SoftClose, Remove&Wash, ActiveCool, Add-Ons |
|----------|--|
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray |
| | |

1 single full extension telescopic rail



K-71F28IM2 / K-71F28BM2/ K-71F28AM2









| | SPECIFICATIONS |
|-------------------------|--|
| Oven Specifications | |
| Oven Type | Multifunction |
| Cavity Volume | 78lt. |
| Control Panel Type | Inox (Antifinger Print) Metal / Black Metal / Dark Inox Metal |
| Energy Class | A |
| Cleaning Type | Pyrolytic Cleaning |
| Oven Controller | LED Full Touch+ Timer |
| Oven Functions | <u>ID.28 – 8 functions:</u> Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Grill / Double Grill / Double Grill + Fan / Pyrolysis |
| Cavity Type / Rack Type | Pyrolytic Enamel / Wire rack |
| Aesthetical Features | |
| Handle | Titan – Inox / Dark Inox |
| I/o o lo | |



| Additional information & Accessories | | |
|--------------------------------------|--|-------|
| Features | SoftClose, Remove&Wash, ActiveCool, Add-Ons | |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray | |
| Telescopic Rail | 1 single full extension telescopic rail | CHADD |



KA-70V19IM2/KA-70V19BM2/ KA-70V19AM2









| SPECIFICATIONS | |
|-------------------------|--|
| Oven Specifications | |
| Oven Type | Multifunction |
| Cavity Volume | 78lt. |
| Control Panel Type | Inox (Antifinger Print) Metal / Black Metal / Dark Inox Metal |
| Energy Class | A |
| Cleaning Type | ETC (Easy to Clean) Enamel |
| Oven Controller | Touch+ Timer |
| Oven Functions | <u>ID.19 – 9 functions:</u> Ovenlight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan |
| Cavity Type / Rack Type | ETC Enamel – Gray & 1P Catalytic / Wire rack |
| Aesthetical Features | |

Additional Information & Accessories

Handle

Knob

| Features | Remove&Wash, AirCurtain, Add-Ons |
|-----------------|--|
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray, 1 small tray |
| Telescopic Rail | 1 single half extension telescopic rail |

Titan – Inox

Luna PIPO – Black





KA-70F19BM2















| | SPECIFICATIONS |
|-------------------------------|--|
| Oven Specifications | |
| Oven Type | Multifunction |
| Cavity Volume | 78lt. |
| Control Panel Type | Black Glass |
| Energy Class | A |
| Cleaning Type | ETC (Easy to Clean) Enamel |
| Oven Controller | LED Full Touch+ Timer |
| Oven Functions | <u>ID.19 – 9 functions:</u> Ovenlight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan |
| Cavity Type / Rack Type | ETC Enamel – Gray & 1P Catalytic / Wire rack |
| Aesthetical Features | |
| Handle | Titan – Inox |
| Knob | |
| Additional Information & Acce | essories |
| Features | Remove&Wash, AirCurtain |
| Trays | 1 chromed wire grid, 1 small tray, 1 deep tray |
| Telescopic Rail | 1 single half extension telescopic rail SHARE |

KA-70T50BHH







| | SPECIFICATIONS | |
|--------------------------------------|--|--|
| Oven Specifications | | |
| Oven Type | Multifunction | |
| Cavity Volume | 78lt. | |
| Control Panel Type | Black Glass | |
| Energy Class | A | |
| Cleaning Type | ETC (Easy to Clean) Enamel | |
| Oven Controller | Monochrome TFT | |
| Oven Functions | <u>ID.50 – 10 functions:</u> Ovenlight/Defrost/Fan+Ring/Top+Bottom/Top+Bottom+Fan/Pizza/Grill +Turnspit/Double Grill+Turnspit/Double Grill+Fan+Turnspit/VapClean | |
| Cavity Type / Rack Type | ETC Enamel – Gray & 1P Catalytic / Wire rack | |
| Aesthetical Features | | |
| Handle | Titan – Inox | |
| Knob | - | |
| Additional Information & Accessories | | |
| Features | SoftClose, Remove&Wash, VapClean, RoastPro Turnspit, Door Switch, AirCurtain | |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray, 1 small tray | |
| Telescopic Rail | 1 single full extension telescopic rail | |

KA-70S50BSS

















Love2

Cook

















| | SPECIFICATIONS |
|-------------------------|--|
| Oven Specifications | |
| Oven Type | Multifunction |
| Cavity Volume | 78lt. |
| Control Panel Type | Black Glass |
| Energy Class | A |
| Cleaning Type | ETC (Easy to Clean) Enamel |
| Oven Controller | Colourful TFT |
| Oven Functions | <u>ID.50 – 10 functions:</u> Ovenlight/Defrost/Fan+Ring/Top+Bottom/Top+Bottom+Fan/Pizza/Grill +Turnspit/Double Grill+Turnspit/Double Grill+Fan+Turnspit/VapClean |
| Cavity Type / Rack Type | ETC Enamel – Gray & 1P Catalytic / Wire rack |
| Aesthetical Features | |
| Handle | Titan – Inox |
| Knob | Signum |

Additional Information & Accessories

| Features | SoftClose, Remove&Wash, VapClean, RoastPro Turnspit, RoastPro MeatProbe, AirCurtain | |
|-----------------|---|----|
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray, 1 small tray | |
| Telescopic Rail | 1 single full extension telescopic rail | RP |

KA-73S56ISS / KA-73S56ASS / KA-73S56BSS









SHARP

| SPECIFICATIONS | | |
|--------------------------------------|---|--|
| Oven Specifications | | |
| Oven Type | Multifunction / Steam Assisted | |
| Cavity Volume | 78lt. | |
| Control Panel Type | Black Glass | |
| Energy Class | A | |
| Cleaning Type | Hydrolytic Cleaning | |
| Oven Controller | Colourful TFT | |
| Oven Functions | <u>ID.56 – 11 functions:</u> Ovenlight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan / VapClean+ / Steam | |
| Cavity Type / Rack Type | ETC Enamel – Gray & 1P Catalytic / Wire rack | |
| Aesthetical Features | | |
| Handle | Titan – Inox | |
| Knob | Signum | |
| Additional Information & Accessories | | |
| Features | SoftClose, Remove&Wash, Add-Ons, VapClean+, AirCurtain | |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray, 1 small tray | |
| Telescopic Rail | 1 single full extension telescopic rail | |











KS-70T50BHH









SHARP

| | SPECIFICATIONS |
|------------------------------|--|
| Oven Specifications | |
| Oven Type | Multifunction |
| Cavity Volume | 78lt. |
| Control Panel Type | Black Glass |
| Energy Class | A |
| Cleaning Type | ETC (Easy to Clean) Enamel |
| Oven Controller | Monochrome TFT |
| Oven Functions | ID.50 – 10 functions: Ovenlight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill+Turnspit / Double Grill+Turnspit / Double Grill+Fan+Turnspit / VapClean |
| Cavity Type / Rack Type | ETC Enamel – Gray & 1P Catalytic / Wire rack |
| Aesthetical Features | |
| Handle | Titan – Inox |
| Knob | - |
| Additional Information & Acc | essories |
| Features | SoftClose, Remove&Wash, VapClean, RoastPro Meat Probe, RoastPro Turnspit |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray, 1 small tray |
| Telescopic Rail | 1 single full extension telescopic rail |

KS-70S50BSS























SHARP

| SPECIFICATIONS | | |
|-------------------------|--|--|
| Oven Specifications | | |
| Oven Type | Multifunction | |
| Cavity Volume | 78lt. | |
| Control Panel Type | Black Glass | |
| Energy Class | A | |
| Cleaning Type | ETC (Easy to Clean) Enamel | |
| Oven Controller | Colourful TFT | |
| Oven Functions | ID.50 – 10 functions: Ovenlight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill+Turnspit / Double Grill+Turnspit / Double Grill+Fan+Turnspit / VapClean | |
| Cavity Type / Rack Type | ETC Enamel – Gray & 1P Catalytic / Wire rack | |
| Aesthetical Features | | |
| Handle | Titan – Inox | |
| Knob | Luna PIPO | |

Additional Information & Accessories

| Telescopic Rail | 1 single full extension telescopic rail |
|-----------------|--|
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray, 1 small tray |
| Features | SoftClose, Remove&Wash, VapClean, RoastPro Meat Probe, RoastPro Turnspit |



K-60M15BNL









| | SPECIFICATIONS | |
|--------------------------------------|--|--|
| Oven Specifications | | |
| Oven Type | Static | |
| Cavity Volume | 72lt. | |
| Control Panel Type | Black Glass | |
| Energy Class | A | |
| Cleaning Type | ETC (Easy to Clean) Enamel | |
| Oven Controller | Mechanical Timer | |
| Oven Functions | <u>ID.15 – 6 functions:</u> Ovenlight / Top+Bottom / Bottom / Top / Grill / Double Grill | |
| Cavity Type / Rack Type | ETC Enamel – Gray / Molded rack | |
| Aesthetical Features | | |
| Handle | Basic Margo | |
| Knob | Onis PIPO – Black | |
| Additional Information & Accessories | | |
| Features | Remove&Wash | |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray | |
| Telescopic Rail | - | |




K-50M22BNL












K-60P19BNM












K-61P27BNM











SPECIFICATIONS

Fan Assisted

Oven Specifications

Oven Type





K-71Z68BNM

















| | SPECIFICATIONS |
|------------------------------|---|
| Oven Specifications | |
| Oven Type | Multifunction |
| Cavity Volume | 78lt. |
| Control Panel Type | Black Glass |
| Energy Class | A |
| Cleaning Type | Pyrolytic Cleaning |
| Oven Controller | Family Design Visio Touch Timer |
| Oven Functions | ID.68 – 10 functions: Defrost / Turbo / Bottom / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Grill+Fan / 3D / Pyrolysis |
| Cavity Type / Rack Type | Pyrolytic Enamel / Wire rack |
| Aesthetical Features | |
| Handle | Basic Margo |
| Knob | Onis PIPO – Black |
| Additional Information & Acc | essories |
| Features | SoftClose, Remove&Wash, Active Cool |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray |
| Telescopic Rail | 1 single half extension telescopic rail |



KA-70Z68BNM

















| | SPECIFICATIONS |
|-------------------------------|---|
| Oven Specifications | |
| Oven Type | Multifunction |
| Cavity Volume | 78lt. |
| Control Panel Type | Black Glass |
| Energy Class | A |
| Cleaning Type | ETC (Easy to Clean) Enamel |
| Oven Controller | Family Design Visio Touch Timer |
| Oven Functions | <u>ID.68 – 10 functions:</u> Defrost / Turbo / Bottom / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Grill+Fan / 3D / VapClean |
| Cavity Type / Rack Type | ETC Enamel – Gray & 1P Catalytic / Wire rack |
| Aesthetical Features | |
| Handle | Metal Margo |
| Knob | Apex |
| Additional Information & Acce | essories |
| Features | Remove&Wash, VapClean, AirCurtain |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray, 1 small tray |
| Telescopic Rail | 1 single half extension telescopic rail |



KA-70T50BNH






















| Features | SoftClose, Remove&Wash, VapClean, AirCurtain |
|-----------------|--|
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray, 1 small tray |
| Telescopic Rail | 1 single full extension telescopic rail |



K-71L66BNH


















| | SPECIFICATIONS |
|------------------------------|--|
| Oven Specifications | |
| Oven Type | Multifunction |
| Cavity Volume | 78lt. |
| Control Panel Type | Black Glass |
| Energy Class | A |
| Cleaning Type | Pyrolytic Cleaning |
| Oven Controller | Slim LED Touch |
| Oven Functions | ID.66 – 9 functions: Defrost / Fan+Ring / Bottom / Top+Bottom / Top+Bottom+Fan / Pizza / Double Grill / Double Grill+Fan / Pyrolysis |
| Cavity Type / Rack Type | Pyrolytic Enamel / Wire rack |
| Aesthetical Features | |
| Handle | Black Margo |
| Knob | - |
| Additional Information & Acc | essories |
| Features | SoftClose, Remove&Wash, ActiveCool |
| Trays | 1 chromed wire grid, 1 shallow tray |
| Telescopic Rail | 1 single half extension telescopic rail |



KA-75L64BNH








KS-76S50BNP







K-70P19BNM















| | SPECIFICATIONS | |
|--------------------------------------|---|--|
| Oven Specifications | | |
| Oven Type | Multifunction | |
| Cavity Volume | 78 lt. | |
| Control Panel Type | Black Glass | |
| Energy Class | A | |
| Cleaning Type | ETC (Easy to Clean) Enamel | |
| Oven Controller | Family Design Digital Touch Timer | |
| Oven Functions | ID.19 – 9 functions: Ovenlight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan | |
| Cavity Type / Rack Type | ETC Enamel – Grey / Wire rack | |
| Aesthetical Features | | |
| Handle | Black Margo | |
| Knob | Apex Matte Black | |
| Additional Information & Accessories | | |
| Features | SoftClose, Remove&Wash, AirCurtain, Northern European Thermostat, PizzaGourmet, Pizza Set | |
| Trays | 1 chromed wire grid, 1 deep tray, 1 shallow tray | |
| Telescopic Rail | 1 single full extension telescopic rail | |



K-71P28BNM

NEW



| • • | |
|-----|--|















K-71Z29BNM


















KA-74P51BNH













| | SPECIFICATIONS | |
|--------------------------------------|--|--|
| Oven Specifications | | |
| Oven Type | Multifunction | |
| Cavity Volume | 78 lt. | |
| Control Panel Type | Black Glass with Matte Black Sable Printed | |
| Energy Class | A | |
| Cleaning Type | Hydrolytic Cleaning | |
| Oven Controller | Family Design Digital Touch Control | |
| Oven Functions | <u>ID.51 – 10 functions:</u> Ovenlight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan / VapClean | |
| Cavity Type / Rack Type | Pyrolytic Enamel / Wire rack | |
| Aesthetical Features | | |
| Handle | Black Margo | |
| Knob | Apex Matte Black | |
| Additional Information & Accessories | | |
| Features | SoftClose, Remove&Wash, AquaBoost Cavity, VapClean, AirCurtain, Pure Black Application on Control Panel & Oven Door, Matte Black Sable Printed | |
| Trays | 1 chromed wire grid, 1 deep tray, 1 shallow tray | |
| Telescopic Rail | 1 single full extension telescopic rail | |



KA-74Z68BNH















SPECIFICATIONS

Oven Specifications



KA-73F68BNH













| | SPECIFICATIONS | |
|--------------------------------------|--|--|
| Oven Specifications | | |
| Oven Type | Multifunction | |
| Cavity Volume | 78 lt. | |
| Control Panel Type | Black Glass with Matte Black Sable Printed | |
| Energy Class | A | |
| Cleaning Type | Hydrolytic | |
| Oven Controller | Family Design Full Touch Control | |
| Oven Functions | <u>ID.68 – 10 functions:</u> Defrost / Turbo / Bottom / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Grill+Fan / 3D / Steam | |
| Cavity Type / Rack Type | ETC (Easy To Clean) Enamel – Grey / Wire rack | |
| Aesthetical Features | | |
| Handle | Black Margo | |
| Knob | - | |
| Additional Information & Accessories | | |
| Features | SoftClose, Remove&Wash, SteamInject, VapClean+, AirCurtain, Pure Black Application on Control Panel & Oven Door, Matte Black Sable Printed | |
| Trays | 1 chromed wire grid, 1 deep tray, 1 shallow tray | |
| Telescopic Rail | 1 single full extension telescopic rail | |







BUILT-IN DOUBLE OVENS LINE-UP



K-90D06BM1





| | SPECIFICATIONS |
|-------------------------------|---|
| Oven Specifications | |
| Oven Type | Main Oven: Fan Assisted / Top Oven: Static |
| Cavity Volume | Main Oven: 74lt. / Top Oven: 37lt. |
| Control Panel Type | Black Glass |
| Energy Class | A |
| Cleaning Type | ETC (Easy to Clean) Enamel |
| Oven Controller | Touch Timer |
| Oven Functions | <u>Main Oven ID.5 – 3 functions:</u> Defrost / Top + Bottom / Top + Bottom + Fan <u>Top Oven ID.5 – 6 functions:</u> OvenLight / Top + Bottom / Bottom / Top / Grill / Double Grill |
| Cavity Type / Rack Type | ETC Enamel – Gray & 1P Catalytic / Main Oven: Wire Rack |
| Aesthetical Features | |
| Handle | Black Margo |
| Knob | Onis PIPO – Black |
| Additional Information & Acce | ssories |
| Features | Remove&Wash, VapClean |
| Trays | 2 chromed wire grid, 1 shallow tray, 1 deep tray wire grid, 1 grill pan handle set |
| Telescopic Rail | 1 single half extension telescopic rail |

K-90D10BM2





| | SPECIFICATIONS |
|-------------------------------|--|
| Oven Specifications | |
| Oven Type | Main Oven: Multifunction / Top Oven: Static |
| Cavity Volume | Main Oven: 74lt. / Top Oven: 37lt. |
| Control Panel Type | Black Glass |
| Energy Class | A |
| Cleaning Type | ETC (Easy to Clean) Enamel – Grey & 2P Catalytic |
| Oven Controller | Touch Timer |
| Oven Functions | Main Oven ID.10 – 10 functions: OvenLight / Defrost / Fan + Ring / Top + Bottom / Top + Bottom + Fan / Pizza / Gril / Double Grill / Double Grill + Fan / Vap Clean Top Oven ID.5 – 6 functions: OvenLight / Top + Bottom / Bottom / Top / Grill / Double Grill |
| Cavity Type / Rack Type | ETC Enamel – Gray & 1P Catalytic / Main Oven: Wire Rack |
| Aesthetical Features | |
| Handle | Black Margo |
| Knob | Onis PIPO – Black |
| Additional Information & Acce | essories |
| Features | Remove&Wash, VapClean, PureBlack Application on Oven Door |
| Trays | 2 chromed wire grid, 1 shallow tray, 1 deep tray wire grid, 1 grill pan handle set |
| Telescopic Rail | 1 single half extension telescopic rail |

BUILT-IN HOBS

PREMIUM FEATURES
TECHNOLOGIES
LINE-UP







PREMIUM FEATURES TECHNOLOGIES

Premium Features





CookBridge: The ultimate in versatility CookBridge provides flexibility for pans of all shapes and sizes. By simply combining two induction zones you can create an extra large zone for big pots and pans



AutoHeat Control: Simple yet effective, Sharp puts the most common cooking tasks at your fingertips, allowing you to boil, fry, melt chocolate and keep your food warm at the touch of a button





Fixes the cooking zone in frying temperature (160°C)



Keeps the cooking



Timer

Timer: When the hob is switched on, an independent timer (1 to 99 minutes) can be programmed for every cooking zone so that they switch off automatically. When the hob is switched off, vou also have the possibility to set a minute minder



Fixes the cooking zone in



Keeps the cooking zone in 40°C



Stop&Go

Stop&Go: Freeze time when you need to. Our Stop&Go technology enables you to pause and take that all important call when cooking, then press again to continue



Induction Boost



Induction Boost: Maximum power in seconds for a speed-up heating and a cooking time reduction.

Slider Touch: Intuitive sliding controls allow you to select the power level easily



Premium Features





Easy to Clean Surface: The smooth glass ceramic surface is especially easy to clean

Easy to clean surface



Extended 2x Zone: This extendable cooking zone allows you flexibility to cook with pans of different size perfectly.



Child Lock: Young minds are inquisitive but there's no need to worry with this safety feature that keeps wandering fingers at bay. When it is activated, no control can be changed.



2xZone: Small to medium size variation, our 2xZone allows true flexibility when it comes to selecting the perfect size for your pans.



Hot Surface Indicator: After switching off the cooking zone, an "H" will be displayed until the assigned cooking zone temperature is in an uncritical level. It reminds you not to touch a hot cooking zone. You can also use the residual heat for defrosting or maintaining a dish warm.



3x Zone

3xZone: Small to medium size variation, our 3xZone allows true flexibility when it comes to selecting the perfect size for your pans.



Hybrid Induction Hobs

60cm & 78cm

















| | CRECIFICATIONS |
|-----------------------------------|--|
| | SPECIFICATIONS |
| Hob Specifications | |
| Width | 60cm & 78cm |
| Нор Туре | Induction |
| Control Panel Type | Slider Touch control |
| Number of Zones | 1 Flex Zone + 2 independent zones – 6 zones |
| Hob Configuration | 6I-50: 1 x Flex Zone 900W/1200W 1 x 160mm 1400/1800W 1 x 210mm 2100/2500W |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | - |
| Frame | - |
| Additional Features & Accessories | |
| Slider Touch control with Timer | |
| InductionBoost | |

Key Lock & Stop&Go

AutoHeatControl


Chinese glass is available.



Multitoggle Control Type

60cm Induction Hob





Key Features:

- 60 cm induction hob platforms
- 2x160 mm, 2x210 mm cooking zones
- Toggle touch control for each zone,
- AutoHeatControl is optional
- Power management feature: 13/15/16/32 A
- Sharp special line serigraphy
- Chinese glass is available








INDUCTION HOBS
LINE-UP

KH-3125NT00 / KH-3125NT0K











| SPECIFICATIONS | | |
|--|---|--|
| Hob Specifications | | |
| Width | 30cm | |
| Hob Type | Induction | |
| Control Panel Type | Touch control | |
| Number of Zones | 2 zones | |
| Hob Configuration | <u>2I-25:</u> 1 x 160mm 1400W/1800W 1 x 200mm 2100W/2500W | |
| Color | Black Glass | |
| Aesthetical Features | | |
| Bevel | - | |
| Frame | - | |
| Additional Features & Accessories | | |
| Touch toggle control with Timer | | |
| InductionBoost | | |
| Key Lock & Stop&Go | | |
| Both European & Chinese glass are available. | | |



KH-6I31NT00 / KH-6I31NT0K













| | SPECIFICATIONS | |
|---------------------------------|---|--|
| Hob Specifications | | |
| Width | 60cm | |
| Hob Type | Induction | |
| Control Panel Type | Touch control | |
| Number of Zones | 3 zones | |
| Hob Configuration | 3I-31: 1 x 160mm 1400W/1800W 1 x 210mm 2100W/2500W 1 x 290mm 2800W/3500W | |
| Color | Black Glass | |
| Aesthetical Features | | |
| Bevel | - | |
| Frame | - | |
| Additional Features & Accessori | es | |
| Touch toggle control with Timer | | |
| InductionBoost | | |
| AutoHeat Control | | |
| Key Lock & Stop&Go | | |
| Both European & Chinese glass a | re available. | |

KH-6I31BS00
















| | SPECIFICATIONS | |
|-----------------------------------|---|--|
| Hob Specifications | | |
| Width | 60cm | |
| Hob Type | Induction | |
| Control Panel Type | Slider Touch control | |
| Number of Zones | 3 zones | |
| Hob Configuration | 3I-31: 1 x 160mm 1400W/1800W 1 x 210mm 2100W/2500W 1 x 290mm 2800W/3500W | |
| Color | Black Glass | |
| Aesthetical Features | | |
| Bevel | Front bevel | |
| Frame | - | |
| Additional Features & Accessories | | |
| Slider touch control with Timer | | |
| InductionBoost | | |
| AutoHeat Control | | |
| Key Lock & Stop&Go | | |
| Both European & Chinese glass are | Both European & Chinese glass are available. | |

KH-6145FT00 / KH-6145FT0K-01












| | SPECIFICATIONS |
|--|---|
| | SPECIFICATIONS |
| Hob Specifications | |
| Width | 60cm |
| Hob Type | Induction |
| Control Panel Type | Touch control |
| Number of Zones | 4 zones |
| Hob Configuration | 4I-45: 2 x 160mm 1300W 1 x 210mm 1500W 1 x 210mm 1500W/1700W |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | - |
| Frame | Both 2-sided frame and no frame models are available |
| Additional Features & Accessories | |
| Touch toggle control with Timer | |
| InductionBoost for only 210mm front right zone | |
| Key Lock & Stop&Go | |
| Both European & Chinese glass are available. | |
| Spatula | |



KH-6I19FT00 / KH-6I19FT0K KH-6I19FTPP / KH-6I19FTPPK













| | SPECIFICATIONS | |
|-----------------------------------|--|---|
| Hob Specifications | | |
| Width | 60cm | |
| Hob Type | Induction | |
| Control Panel Type | Touch control | |
| Number of Zones | 4 zones | |
| Hob Configuration | 4I-33: 2 x 160mm 1400W/1800W 2 x 210mm 2100W/2500W | 4I-37: 2 x 160mm 1400W/1800W 2 x 210mm 2100W/2500W 13/15/16/32A Power management |
| Color | Black Glass | |
| Aesthetical Features | | |
| Bevel | - | |
| Frame | 2-sided frame | |
| Additional Features & Accessories | | |

Touch toggle control with Timer

InductionBoost

Key Lock & Stop&Go

AutoHeat Control is available only for models without power management.

Both European & Chinese glass are available.



KH-6I19BS00 / KH-6I19NS0I
















| | SPECIFICATIONS |
|-------------------------------------|---|
| | SPECIFICATIONS |
| Hob Specifications | |
| Width | 60cm |
| Hob Type | Induction |
| Control Panel Type | Slider Touch control |
| Number of Zones | 4 zones |
| Hob Configuration | <u>4I-33:</u> 2 x 160mm 1400W/1800W 2 x 210mm 2100W/2500W |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | Front bevel for European Glass / No bevel for Chinese Glass |
| Frame | - |
| Additional Features & Accessories | |
| Slider Touch control with Timer | |
| InductionBoost | |
| Key Lock & Stop&Go | |
| AutoHeat Control | |
| Both European & Chinese glass are a | available. |



KH-6127CS00 / KH-6127NS01

















| SPECIFICATIONS | |
|----------------------|--|
| Hob Specifications | |
| Width | 60cm |
| Hob Type | Induction |
| Control Panel Type | Slider Touch control |
| Number of Zones | 4 zones |
| Hob Configuration | 4I-35: 3 x 160mm 1400W/1800W 1 x 210mm 2100W/2500W |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | 4-side bevel for European Glass / No bevel for Chinese Glass |
| Frame | - |

Additional Features & Accessories

Slider Touch control with timer

Single CookBridge

InductionBoost


Key Lock & Stop&Go

AutoHeat Control

Both European & Chinese glass are available.



KH-6135NS00 / KH-6135NS01

















| SPECIFICATIONS | | |
|------------------------------|--|--|
| Hob Specifications | | |
| Width | 60cm | |
| Hob Type | Induction | |
| Control Panel Type | Slider Touch control | |
| Number of Zones | 4 zones | |
| Hob Configuration | 4I-35: 3 x 160mm 1400W/1800W 1 x 210mm 2100W/2500W | |
| Color | Black Glass | |
| Aesthetical Features | | |
| Bevel | - | |
| Frame | - | |
| Additional Features & Access | sories | |

Slider Touch control with timer

Single CookBridge

InductionBoost


Key Lock & Stop&Go

AutoHeat Control

Both European & Chinese glass are available.



KH-6138FS00 / KH-6138NS01

















| | SPECIFICATIONS |
|-----------------------------------|---|
| Hob Specifications | |
| Width | 60cm |
| Hob Type | Induction |
| Control Panel Type | Slider Touch control |
| Number of Zones | 4 zones |
| Hob Configuration | <u>4I-38:</u> 4 x 160mm 1400W/1800W |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | - |
| Frame | 2-sided frame for European Glass / No frame for Chinese Glass |
| Additional Features & Accessories | S |

Slider Touch control with timer

Double CookBridge

InductionBoost


Key Lock & Stop&Go

AutoHeat Control

Both European & Chinese glass are available.



KH-6138CS00 / KH-6138NS01

















| SPECIFICATIONS | |
|----------------------|--|
| Hob Specifications | |
| Width | 60cm |
| Hob Type | Induction |
| Control Panel Type | Slider Touch control |
| Number of Zones | 4 zones |
| Hob Configuration | 4I-38: 4 x 160mm 1400W/1800W |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | 4-side bevel for European Glass / No bevel for Chinese Glass |
| Frame | - |

Additional Features & Accessories

Slider Touch control with timer

Single CookBridge

InductionBoost

Key Lock & Stop&Go

AutoHeat Control

Both European & Chinese glass are available.



KH-6146NS00 / KH-6146NS01

















| SPECIFICATIONS | |
|-----------------------------------|---------------------------|
| Hob Specifications | |
| Width | 60cm |
| Hob Type | Induction |
| Control Panel Type | Multislider Touch control |
| Number of Zones | 2 Flex Zone – 8 zones |
| Hob Configuration | 8I-46: 2 x Flex Zone |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | - |
| Frame | - |
| Additional England O. Assessed to | |

Additional Features & Accessories

Multislider Touch control with timer

2 V-Flex Zone

InductionBoost

Key Lock & Stop&Go

AutoHeat Control

Both European & Chinese glass are available.



KH-6146CS00 / KH-6146CS0K

















| SPECIFICATIONS | |
|----------------------|--|
| Hob Specifications | |
| Width | 60cm |
| Hob Type | Induction |
| Control Panel Type | Multislider Touch control |
| Number of Zones | 2 Flex Zone – 8 zones |
| Hob Configuration | 8I-46: 2 x Flex Zone |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | 4-side bevel for European Glass / No bevel for Chinese Glass |
| Frame | - |

Additional Features & Accessories

Multislider Touch control with timer

2 V-Flex Zone

InductionBoost


Key Lock & Stop&Go

AutoHeat Control

Both European & Chinese glass are available.



KH-7118CT00 / KH-7118NT01













| SPECIFICATIONS | |
|----------------------|--|
| Hob Specifications | |
| Width | 78cm |
| Hob Type | Induction |
| Control Panel Type | Touch control |
| Number of Zones | 4 zones |
| Hob Configuration | 4I-33: 2 x 160mm 1400W/1800W 2 x 210mm 2100W/2500W |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | 4-side bevel for European Glass / No bevel for Chinese Glass |
| Frame | - |
| | |

Additional Features & Accessories

Touch toggle control with timer

InductionBoost


Key Lock & Stop&Go

AutoHeat Control

Both European & Chinese glass are available.



KH-7I19CS00 / KH-7I19NS0I















| SPECIFICATIONS | |
|----------------------|--|
| Hob Specifications | |
| Width | 78cm |
| Hob Type | Induction |
| Control Panel Type | Slider Touch control |
| Number of Zones | 4 zones |
| Hob Configuration | 4I-33: 2 x 160mm 1400W/1800W 2 x 210mm 2100W/2500W |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | 4-side bevel for European Glass / No bevel for Chinese Glass |
| Frame | - |

Additional Features & Accessories

Slider Touch control with timer

InductionBoost


Key Lock & Stop&Go

AutoHeat Control

Both European & Chinese glass are available.



KH-9126CT00 / KH-9126NT01












| | SPECIFICATIONS |
|-----------------------------------|---|
| Hob Specifications | |
| Width | 90cm |
| Hob Type | Induction |
| Control Panel Type | Touch control |
| Number of Zones | 5 zones |
| Hob Configuration | 5I-26: 2 x 160mm 1400W/1800W 2 x 200mm 2100W/2500W 1 x 250mm 2800W/3500W |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | 4-side bevel for European Glass / No bevel for Chinese Glass |
| Frame | - |
| Additional Features & Accessories | |
| Touch toggle control with timer | |
| InductionBoost | |
| Key Lock & Stop&Go | |

Both European & Chinese glass are available.



KH-9139CS00 / KH-9139NS01















| SPECIFICATIONS | |
|-----------------------------------|---|
| Hob Specifications | |
| Width | 90cm |
| Hob Type | Induction |
| Control Panel Type | Multislider Touch control |
| Number of Zones | 5 zones |
| Hob Configuration | 5I-39: 3 x 160mm 1400W/1800W 1 x 200mm 2100W/2500W 1 x 250mm 2800W/3500W |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | 4-side bevel for European Glass / No bevel for Chinese Glass |
| Frame | - |
| Additional Features & Accessories | |

Multislider Touch control with timer

Single CookBridge

InductionBoost

Key Lock & Stop&Go

Both European & Chinese glass are available.



KH-9140CS00 / KH-9140NS01

















| SPECIFICATIONS | |
|-----------------------------------|---|
| Hob Specifications | |
| Width | 90cm |
| Hob Type | Induction |
| Control Panel Type | Multislider Touch control |
| Number of Zones | 5 zones |
| Hob Configuration | <u>5I-40:</u> 4 x 160mm 1400W/1800W 1 x 250mm 2800W/3500W |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | 4-side bevel for European Glass / No bevel for Chinese Glass |
| Frame | - |
| Additional Features & Accessories | |

Multislider Touch control with timer

Double CookBridge

InductionBoost

Key Lock & Stop&Go

AutoHeat Control

Both European & Chinese glass are available.








VITROCERAMIC HOBS
LINE-UP

KH-3V19NT00 / KH-3V19NT0K








| SPECIFICATIONS | |
|-----------------------------------|--|
| Hob Specifications | |
| Width | 30cm |
| Hob Type | Vitroceramic |
| Control Panel Type | Touch control |
| Number of Zones | 2 zones |
| Hob Configuration | 2V-19: 1 x 145mm 1200W 1 x 180mm 1800W |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | - |
| Frame | - |
| Additional Features & Accessories | |
| Touch toggle control with Timer | |
| Hot Surface Indicator | |
| Both European & Chinese glass are | available. |



KH-6V13BS00 / KH-6V13NS0I














| SPECIFICATIONS | |
|--|--|
| Hob Specifications | |
| Width | 60cm |
| Hob Type | Vitroceramic |
| Control Panel Type | Slider Touch control |
| Number of Zones | 3 zones |
| Hob Configuration | 3V-26: 1 x 145mm 1200W 1 x 180mm 1800W 1 x 290mm Dual 1800W/2700W |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | Front bevel for European Glass / No bevel for Chinese Glass |
| Frame | - |
| Additional Features & Accessories | |
| Slider Touch Control with Timer | |
| Hot Surface Indicator | |
| Both European & Chinese glass are available. | |
| Spatula | |



KH-6V08FT00 / KH-6V08FT0K












| | SPECIFICATIONS |
|-----------------------------------|---|
| Hob Specifications | |
| Width | 60cm |
| Нор Туре | Vitroceramic |
| Control Panel Type | Touch control |
| Number of Zones | 4 zones |
| Hob Configuration | 4V-08: 2 x 145mm 1200W 1 x 180mm 1800W 1 x 180mm Dual 700W/1700W |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | - |
| Frame | 2-sided frame |
| Knob | - |
| Additional Features & Accessories | |
| Touch toggle control with Timer | |
| Hot Surface Indicator | |

Both European & Chinese glass are available.





KH-6V08BS00











| SPECIFICATIONS | |
|-----------------------------------|---|
| Hob Specifications | |
| Width | 60cm |
| Hob Type | Vitroceramic |
| Control Panel Type | Slider Touch control |
| Number of Zones | 4 zones |
| Hob Configuration | 4V-08: 2 x 145mm 1200W 1 x 180mm 1800W 1 x 180mm Dual 700W/1700W |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | Front bevel |
| Frame | - |
| Knob | - |
| Additional Features & Accessories | |
| Slider Touch Control with Timer | |
| Hot Surface Indicator | |
| European Glass is available | |
| Spatula | |



KH-6V09CS00













| SPECIFICATIONS | |
|-----------------------------------|---|
| Hob Specifications | |
| Width | 60cm |
| Нор Туре | Vitroceramic |
| Control Panel Type | Slider Touch control |
| Number of Zones | 4 zones |
| Hob Configuration | 4V-09: 2 x 145mm 1200W 1 x 180mm Dual 1800W 1 x OVAL 1000W/1800W |
| Color | Black Glass |
| Aesthetical Features | |
| Bevel | 4-side bevel |
| Frame | - |
| Knob | - |
| Additional Features & Accessories | |

Slider Touch Control with Timer

Hot Surface Indicator

European Glass is available.




POLYVALENT SETS

LINE-UP





K-62D19IM0 / K-62D19IM0K







| | SPECIFICATIONS |
|---|--|
| Oven Specifications | |
| Oven Type | Multifunction |
| Cavity Volume | 69lt. |
| Control Panel Type | Inox (Antifinger Print) Metal |
| Energy Class | A |
| Cleaning Type | ETC (Easy to Clean) Enamel |
| Oven Controller | Digital Timer |
| Oven Functions | <u>ID.19 – 9 functions:</u> Ovenlight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan |
| Cavity Type / Rack Type | ETC Enamel – Black / Wire rack |
| | |
| Hob Specifications | |
| Hob Specifications Hob Type | Vitroceramic |
| • | Vitroceramic 4V-02: [2 x 145mm, 1 x 180mm, 1 x 180 mm DUAL] |
| Нор Туре | |
| Hob Type Hob Configuration | |
| Hob Type Hob Configuration Aesthetical Features | 4V-02: [2 x 145mm, 1 x 180mm, 1 x 180 mm DUAL] |
| Hob Type Hob Configuration Aesthetical Features Oven | 4V-02: [2 x 145mm, 1 x 180mm, 1 x 180 mm DUAL] Handle: Titan – Inox Knob: Orbis PIPO – Inox |
| Hob Type Hob Configuration Aesthetical Features Oven Hob | 4V-02: [2 x 145mm, 1 x 180mm, 1 x 180 mm DUAL] Handle: Titan – Inox Knob: Orbis PIPO – Inox |
| Hob Type Hob Configuration Aesthetical Features Oven Hob Additional Features & Accessories | 4V-02: [2 x 145mm, 1 x 180mm, 1 x 180 mm DUAL] Handle: Titan – Inox Knob: Orbis PIPO – Inox Highlight / Both European & Chinese glass are available. |



K-62V19IM0 / K-62V19IM0K






| | SPECIFICATIONS |
|-----------------------------------|--|
| | SPECIFICATIONS |
| Oven Specifications | |
| Oven Type | Multifunction |
| Cavity Volume | 69lt. |
| Control Panel Type | Inox (Antifinger Print) Metal |
| Energy Class | A |
| Cleaning Type | ETC (Easy to Clean) Enamel |
| Oven Controller | FD Visio Touch |
| Oven Functions | <u>ID.19 – 9 functions:</u> Ovenlight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan |
| Cavity Type / Rack Type | ETC Enamel – Black / Wire rack |
| Hob Specifications | |
| Hob Type | Vitroceramic |
| Hob Configuration | 4V-02: [2 x 145mm, 1 x 180mm, 1 x 180 mm DUAL] |
| Aesthetical Features | |
| Oven | Handle: Titan – Inox Knob: Orbis PIPO – Inox |
| Hob | Highlight / Both European & Chinese glass are available. |
| Additional Features & Accessories | |
| Features | Mono Slim Stripe Add-On, Inox Full Frame for Hob |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray |
| Telescopic Rail | - |



KA-72D19IM2 / KA-72D19IM2I KA-72D19AM2 / KA-72D19AM2I
















| SPECIFICATIONS | | |
|-----------------------------------|--|--|
| Oven Specifications | | |
| Oven Type | Multifunction | |
| Cavity Volume | 78lt. | |
| Control Panel Type | Inox (Antifinger Print) Metal / Dark Inox Metal | |
| Energy Class | A | |
| Cleaning Type | ETC (Easy to Clean) Enamel | |
| Oven Controller | Digital Touch Timer | |
| Oven Functions | <u>ID.19 – 9 functions:</u> Ovenlight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan | |
| Cavity Type / Rack Type | ETC Enamel – Gray & 1P Catalytic / Wire rack | |
| Hob Specifications | | |
| Hob Type | Induction | |
| Hob Configuration | 4I-21: [2 x 160mm, 2 x 210mm] | |
| Aesthetical Features | | |
| Oven | Handle: Titan – Dark Inox Knob: Orbis PIPO – Dark Inox | |
| Hob | Both European & Chinese glass are available. | |
| Additional Features & Accessories | | |
| Features | Remove&Wash, AirCurtain, Mono Slim Stripe Add-On, Full Frame for Hob, Timer for Hob, Spatula, | |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray, 1 small tray | |
| Telescopic Rail | 1 single half extension telescopic rail | |

K-72P19BNM













| | SPECIFICATIONS |
|---------------------------------|--|
| Oven Specifications | |
| Oven Type | Multifunction |
| Cavity Volume | 78 lt. |
| Control Panel Type | Matte Black Metal |
| Energy Class | A |
| Cleaning Type | ETC (Easy To Clean) Enamel |
| Oven Controller | Family Design Digital Touch Timer |
| Oven Functions | <u>ID.19 – 9 functions:</u> Ovenlight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan |
| Cavity Type / Rack Type | ETC Enamel – Grey / Wire rack |
| Hob Specifications | |
| Нор Туре | Vitroceramic |
| Hob Configuration | 4V-06-09-12: [2 x 145mm, 1 x 180 mm DUAL, 1 x OVAL] |
| Aesthetical Features | |
| Oven | Handle: Metal Margo Knob: Onis PIPO |
| Hob | Highlight Schott Glass with Full Matte Black Frame |
| Additional Features & Accessori | ies |
| Features | SoftClose, Remove&Wash, Matte Black Mono Slim Stripe Add-On |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray |
| Telescopic Rail | 1 single half extension telescopic rail |

K-72Z68BNM





















| | SPECIFICATIONS |
|-----------------------------------|---|
| Oven Specifications | |
| Oven Type | Multifunction |
| Cavity Volume | 78 lt. |
| Control Panel Type | Matte Black Metal |
| Energy Class | A |
| Cleaning Type | ETC (Easy To Clean) Enamel |
| Oven Controller | Family Design Visio Touch Timer |
| Oven Functions | <u>ID.68 – 10 functions:</u> Defrost / Turbo / Bottom / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Grill+Fan / 3D / VapClean |
| Cavity Type / Rack Type | ETC Enamel – Grey / Wire rack |
| Hob Specifications | |
| Hob Type | Induction |
| Hob Configuration | 4I-21: [2 x 160mm 1400W/1800W, 2 x 210mm 2100W/2500W] |
| Aesthetical Features | |
| Oven | Handle: Metal Margo Knob: Onis PIPO |
| Hob | Schott Glass with Full Matte Black Frame, Timer |
| Additional Features & Accessories | |
| Features | SoftClose, Remove&Wash, Matte Black Mono Slim Stripe Add-On |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray |
| Telescopic Rail | 1 single full extension telescopic rail SHARP. |

FREESTANDING COOKERS

SINGLE OVENS LINE-UP
DOUBLE OVENS LINE-UP







KF-56FHMM15WL





| | SDECIEICATIONS |
|-----------------------------------|--|
| | SPECIFICATIONS |
| Oven Specifications | |
| Oven Type | Electric Oven / Static |
| Size | 50x60 cm |
| Color | White |
| Energy Class | A |
| Cleaning Type | ETC (Easy To Clean) Enamel |
| Oven Controller | Mechanical Minute Minder |
| Oven Functions | <pre>ID.15 - 6 functions: Ovenlight / Top+Bottom / Bottom / Top / Grill / Double Grill</pre> |
| Cavity Type / Rack Type | ETC Enamel – Black / Molded rack |
| Hob Specifications | |
| Hob Type | Electric |
| Hob Configuration | 4E-01: [2 x 145mm, 2 x 180mm] |
| Aesthetical Features | |
| Oven | Juno – Inox / Orbis – Inox |
| Hob | Hotplate |
| Additional Features & Accessories | |
| Features | Drawer (4 Wheel Guided) |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray |
| Telescopic Rail | - |



KF-56HNO22W / KF-56HNO22WL2

KF-76HNO22W / KF-76HNO22WL2






| | SPECIFICATIONS |
|--|--|
| Oven Specifications | |
| Oven Type | Electric Oven / Fan Assisted |
| Size | 50x60 cm / 60x60 cm |
| Color | White |
| Energy Class | A |
| Cleaning Type | ETC (Easy To Clean) Enamel |
| Oven Controller | No Timer |
| Oven Functions | <u>ID.22 – 8 functions:</u> Ovenlight / Defrost / Top+Bottom / Top+Bottom+Fan / Bottom+Fan / Grill / Double Grill / Double Grill+Fan |
| Cavity Type / Rack Type | ETC Enamel – Black / Molded rack |
| Hob Specifications | |
| Hob Type | Electric |
| Hob Configuration | 4E-01: [2 x 145mm, 2 x 180mm] |
| Aesthetical Features | |
| | |
| Oven | Juno – Inox / Orbis – Inox L2: Basic Margo / Myra – Inox |
| Oven Hob | Juno – Inox / Orbis – Inox L2: Basic Margo / Myra – Inox Hotplate |
| | |
| Hob | |
| Hob Additional Features & Accessories | Hotplate |



KF-56VNO22W/KF-56VNO22WK KF-56VNO22WM2/KF-56VNO22WM2K









KF-56FVDD22WM/KF-56FVDD22WM-K



| | SPECIFICATIONS |
|--|--|
| Oven Specifications | |
| Oven Type | Electric Oven / Fan Assisted |
| Size | 50x60 cm |
| Color | White |
| Energy Class | A |
| Cleaning Type | ETC (Easy To Clean) Enamel |
| Oven Controller | Digital Timer |
| Oven Functions | <u>ID.22 – 8 functions:</u> Ovenlight / Defrost / Top+Bottom / Top+Bottom+Fan / Bottom+Fan / Grill / Double Grill / Double Grill+Fan |
| Cavity Type / Rack Type | ETC Enamel – Black / Molded rack |
| Hob Specifications | |
| Hob Type | Vitroceramic |
| Hob Configuration | 4V-01: [2 x 145mm, 2 x 180mm] |
| | |
| Aesthetical Features | |
| Oven | Juno – Inox / Orbis – Inox |
| | Juno – Inox / Orbis – Inox Highlight / Both European & Chinese glass are available. |
| Oven | |
| Oven Hob | |
| Oven Hob Additional Features & Accessories | Highlight / Both European & Chinese glass are available. |





KF-56FVDD22IM / KF-56FVDD22IM-K



| | SPECIFICATIONS |
|-----------------------------------|--|
| Oven Specifications | |
| Oven Type | Electric Oven / Fan Assisted |
| Size | 50x60 cm |
| Color | Type 3 Inox* |
| Energy Class | A |
| Cleaning Type | ETC (Easy To Clean) Enamel |
| Oven Controller | Digital Timer |
| Oven Functions | <u>ID.22 – 8 functions:</u> Ovenlight / Defrost / Top+Bottom / Top+Bottom+Fan / Bottom+Fan / Grill / Double Grill / Double Grill+Fan |
| Cavity Type / Rack Type | ETC Enamel – Black / Molded rack |
| Hob Specifications | |
| Hob Type | Vitroceramic |
| Hob Configuration | 4V-01: [2 x 145mm, 2 x 180mm] |
| Aesthetical Features | |
| Oven | Juno – Inox / Orbis – Inox |
| Hob | Highlight / Both European & Chinese glass are available. |
| Additional Features & Accessories | |
| Features | Drawer (4 Wheel Guided) |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray |
| Telescopic Rail | SHARP |



KF-56VDD19I /
KF-56VDD19II
KF-56VDD19IH1 /
KF-56VDD19IH1I

KF-56VDD19W /
KF-56VDD19WI
KF-56VDD19WH1 /
KF-56VDD19WH1I





| | CDECIFICATIONS |
|-----------------------------------|--|
| | SPECIFICATIONS |
| Oven Specifications | |
| Oven Type | Electric Oven / Multifunction |
| Size | 50x60 cm |
| Color | Type 3 Inox* / Inox |
| Energy Class | A |
| Cleaning Type | ETC (Easy To Clean) Enamel – Black |
| Oven Controller | Digital Timer |
| Oven Functions | <u>ID.19 – 9 functions:</u> Ovenlight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan |
| Cavity Type / Rack Type | ETC Enamel – Black / Wire rack |
| Hob Specifications | |
| Hob Type | Vitroceramic |
| Hob Configuration | 4V-02: [2 x 145mm, 1 x 180mm, 1 x 180mm DUAL] |
| Aesthetical Features | |
| Oven | Juno – Inox / Orbis – Inox H1: Basic Margo / Myra – Inox |
| Hob | Highlight / Both European & Chinese glass are available. |
| Additional Features & Accessories | |
| Features | Drawer (4 Wheel Guided) |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray |
| Telescopic Rail | - |





KF-76FVMT15WL



| | SPECIFICATIONS |
|-----------------------------------|--|
| Oven Specifications | |
| Oven Type | Electric Oven / Static |
| Size | 60x60 cm |
| Color | White |
| Energy Class | A |
| Cleaning Type | ETC (Easy To Clean) Enamel |
| Oven Controller | Mechanical Minute Minder |
| Oven Functions | <u>ID.15 – 6 functions:</u> Ovenlight / Top+Bottom / Bottom / Top / Grill / Double Grill |
| Cavity Type / Rack Type | ETC Enamel – Black / Molded rack |
| Hob Specifications | |
| Hob Type | Vitroceramic |
| Hob Configuration | 4V-01: [2 x 145mm, 2 x 180mm] |
| Aesthetical Features | |
| Oven | Juno – Inox / Orbis – Inox |
| Hob | Highlight / European glass is available. |
| Additional Features & Accessories | |
| Features | Drawer (4 Wheel Guided) |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray |
| Telescopic Rail | |



KF-76VNO22W / KF-76VNO22WI KF-76VNO22WM2



| | SPECIFICATIONS |
|-----------------------------------|--|
| Oven Specifications | |
| Oven Type | Electric Oven / Fan Assisted |
| Size | 60x60 cm |
| Color | White |
| Energy Class | A |
| Cleaning Type | ETC (Easy To Clean) Enamel |
| Oven Controller | No Timer |
| Oven Functions | <u>ID.22 – 8 functions:</u> Ovenlight / Defrost / Top+Bottom / Top+Bottom+Fan / Bottom+Fan / Grill / Double Grill / Double Grill+Fan |
| Cavity Type / Rack Type | ETC Enamel – Black / Wire rack |
| Hob Specifications | |
| Hob Type | Vitroceramic |
| Hob Configuration | 4V-01: [2 x 145mm, 2 x 180mm] |
| Aesthetical Features | |
| Oven | Juno – Inox / Orbis – Inox M2: Basic Margo / Myra – Inox |
| Hob | Highlight / Both European & Chinese glass are available. |
| Additional Features & Accessories | |
| Features | Yoghurt Function, Drawer (4 Wheel Guided) |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray |
| Telescopic Rail | - |





KF-76FVDD22WM/ *KF-76FVDD22WM-K* KF-76FVDD22IM / KF-76FVDD22IM-K







| SPECIFICATIONS | |
|-----------------------------------|--|
| Oven Specifications | |
| Oven Type | Electric Oven / Fan Assisted |
| Size | 60x60 cm |
| Color | White / Type 3 Inox* |
| Energy Class | A |
| Cleaning Type | ETC (Easy To Clean) Enamel |
| Oven Controller | Digital Timer |
| Oven Functions | <u>ID.22 – 8 functions:</u> Ovenlight / Defrost / Top+Bottom / Top+Bottom+Fan / Bottom+Fan / Grill / Double Grill / Double Grill+Fan |
| Cavity Type / Rack Type | ETC Enamel – Black /Molded rack |
| Hob Specifications | |
| Hob Type | Vitroceramic |
| Hob Configuration | 4V-01: [2 x 145mm, 2 x 180mm] |
| Aesthetical Features | |
| Oven | Juno – Inox / Orbis – Inox |
| Hob | Highlight / Both European & Chinese glass are available. |
| Additional Features & Accessories | |
| Features | Drawer (4 Wheel Guided), Add-On |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray |
| Telescopic Rail | SHARP |





KF-76VDD19W /
KF-76VDD19WK
KF-76VDD19WH1 /
KF-76VDD19WH1K

KF-76VDD19I /
KF-76VDD19IK
KF-76VDD19IH1 /
KF-76VDD19IH1K





| SPECIFICATIONS | |
|-----------------------------------|--|
| Oven Specifications | |
| Oven Type | Electric Oven / Multifunction |
| Size | 60x60 cm |
| Color | White / Type 3 Inox* |
| Energy Class | A |
| Cleaning Type | ETC (Easy To Clean) Enamel |
| Oven Controller | Digital Timer |
| Oven Functions | <u>ID.19 – 9 functions:</u> Ovenlight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan |
| Cavity Type / Rack Type | ETC Enamel – Black / Wire rack |
| Hob Specifications | |
| Hob Type | Vitroceramic |
| Hob Configuration | 4V-02: [2 x 145mm, 1 x 180mm, 1 x 180mm DUAL] |
| Aesthetical Features | |
| Oven | Juno – Inox / Orbis – Inox H1: Basic Margo / Myra – Inox |
| Hob | Highlight / Both European & Chinese glass are available. |
| Additional Features & Accessories | |
| Features | Drawer (4 Wheel Guided), U Type Add-On |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray |
| Telescopic Rail | SHARP. |





KF-76IDD19W / KF-76IDD19WI KF-76IDD19I / KF-76IDD19II







| SPECIFICATIONS | |
|----------------------------------|---|
| Oven Specifications | |
| Oven Type | Electric Oven / Multifunction |
| Size | 60x60 cm |
| Color | White / Type 3 Inox* |
| Energy Class | A |
| Cleaning Type | ETC (Easy To Clean) Enamel |
| Oven Controller | Digital Timer |
| Oven Functions | ID.19 – 9 functions: Ovenlight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan |
| Cavity Type / Rack Type | ETC Enamel – Black / Wire rack |
| Hob Specifications | |
| Hob Type | Induction |
| Hob Configuration | 4I-63: [2 x 160mm B, 2 x 210mm B] |
| Aesthetical Features | |
| Oven | Juno – Inox / Orbis – Inox |
| Hob | Both European & Chinese glass are available. |
| Additional Features & Accessorie | es |
| Features | Drawer (4 Wheel Guided), InductionBoost for Hob |
| Trays | 1 chromed wire grid, 1 shallow tray, 1 deep tray |
| Telescopic Rail | SHARF |






KF-66DVDD05WL1 / KF-66DVDD05WL1K





KF-66DVDD05SL1 / KF-66DVDD05SL1K





KF-66DVDD05BL1 / KF-66DVDD05BL1K





| SPECIFICATIONS | |
|-----------------------------------|---|
| Oven Specifications | |
| Oven Type | Electric Oven / Main Oven: Fan Assisted – Top Oven: Grill |
| Size | 60x60 cm |
| Color | Black |
| Energy Class | A |
| Cleaning Type | ETC (Easy To Clean) Enamel |
| Oven Controller | Touch Timer with White Display |
| Oven Functions | <u>Main Oven ID.5 – 3 functions:</u> Defrost / Top+Bottom / Top+Bottom+Fan <u>Top Oven ID.1 – 1 function:</u> Grill |
| Cavity Type / Rack Type | ETC Enamel – Black / Molded rack |
| Hob Specifications | |
| Hob Type | Vitroceramic |
| Hob Configuration | 4V-01: [2 x 145mm, 2 x 180mm] |
| Aesthetical Features | |
| Oven | Black Margo / Myra – Inox |
| Hob | Highlight / Both European & Chinese glass are available. |
| Additional Features & Accessories | |
| Features | Remove&Wash, VapClean, Side Opening Main Oven Door |
| Trays | 2 chromed wire grid, 1 shallow tray, 1 deep tray wire grid, 1 grill pan handle set |
| Telescopic Rail | - |

KF-66DVDD04WM1 / KF-66DVDD04WM1K



| SPECIFICATIONS | |
|---|--|
| Oven Specifications | |
| Oven Type | Electric Oven / Main Oven: Multifunction – Top Oven: Static |
| Size | 60x60 cm |
| Color | White |
| Energy Class | A |
| Cleaning Type | ETC (Easy To Clean) Enamel |
| Oven Controller | Touch Timer with White Display |
| Oven Functions | <u>Main Oven ID.4 – 4 functions:</u> Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan |
| | <u>Top Oven ID.4 – 4 functions:</u> Top+Bottom / Top / Grill / Double Grill |
| Cavity Type / Rack Type | ETC Enamel – Black / Molded rack |
| Hob Specifications | |
| | |
| Hob Type | Vitroceramic |
| Hob Type Hob Configuration | Vitroceramic 4V-01: [2 x 145mm, 2 x 180mm] |
| | |
| Hob Configuration | |
| Hob Configuration Aesthetical Features | 4V-01: [2 x 145mm, 2 x 180mm] |
| Hob Configuration Aesthetical Features Oven | 4V-01: [2 x 145mm, 2 x 180mm] Metal Margo / Myra – Inox |
| Hob Configuration Aesthetical Features Oven Hob | 4V-01: [2 x 145mm, 2 x 180mm] Metal Margo / Myra – Inox |
| Hob Configuration Aesthetical Features Oven Hob Additional Features & Accessories | 4V-01: [2 x 145mm, 2 x 180mm] Metal Margo / Myra – Inox Highlight / Both European & Chinese glass are available. |

KF-66DVDD04IM1 / KF-66DVDD04IM1K








KF-66DVDD04BM1 / KF-66DVDD04BMK











KF-66DIDD04WM1 / KF-66DIDD04WM1I






| SPECIFICATIONS | |
|-----------------------------------|--|
| Oven Specifications | |
| Oven Type | Electric Oven / Main Oven: Multifunction – Top Oven: Static |
| Size | 60x60 cm |
| Color | White |
| Energy Class | A |
| Cleaning Type | ETC (Easy To Clean) Enamel |
| Oven Controller | Touch Timer with White Display |
| Oven Functions | Main Oven ID.4 – 4 functions: Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan |
| | <u>Top Oven ID.4 – 4 functions:</u> Top+Bottom / Top / Grill / Double Grill |
| Cavity Type / Rack Type | ETC Enamel – Black / Wire rack |
| Hob Specifications | |
| Нор Туре | Induction |
| Hob Configuration | 4I-63: [2 x 160mm, 2 x 210mm] |
| Aesthetical Features | |
| Oven | Metal Margo / Myra – Inox |
| Hob | Both European & Chinese glass are available. |
| Additional Features & Accessories | |
| Features | Remove&Wash, VapClean, Side Opening Main Oven Door, Induction Boost for Hob |
| Trays | 2 chromed wire grid, 1 shallow tray, 1 deep tray wire grid, 1 grill pan handle set |
| Telescopic Rail | |

KF-66DIDD04IM1 / KF-66DIDD04IM1I





^{*}COOKTOP:Inox | CONTROL PANEL:Inox | DRAWER:Inox | SIDE PANEL:Silver | KICKPLATE:Silver

KF-66DIDD04BH1 / KF-66DIDD04BH1I



| SPECIFICATIONS | |
|-----------------------------------|--|
| Oven Specifications | |
| Oven Type | Electric Oven / Main Oven: Multifunction – Top Oven: Static |
| Size | 60x60 cm |
| Color | Black |
| Energy Class | A |
| Cleaning Type | ETC (Easy To Clean) Enamel |
| Oven Controller | Touch Timer with White Display |
| Oven Functions | Main Oven ID.4 – 4 functions: Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan |
| | <u>Top Oven ID.4 – 4 functions:</u> Top+Bottom / Top / Grill / Double Grill |
| Cavity Type / Rack Type | ETC Enamel – Black / Wire rack |
| Hob Specifications | |
| Hob Type | Induction |
| Hob Configuration | 4I-63: [2 x 160mm, 2 x 210mm] |
| Aesthetical Features | |
| Oven | Black Margo / Myra – Inox |
| Hob | Both European & Chinese glass are available. |
| Additional Features & Accessories | |
| Features | Remove&Wash, VapClean, Side Opening Main Oven Door, Top I Bottom U Type Add-On, Induction Boost for Hob |
| Trays | 2 chromed wire grid, 1 shallow tray, 1 deep tray wire grid, 1 grill pan handle set |
| Telescopic Rail | - |

THANK YOU!

SHARP