

DISWASHER



Red Accessories





StemSafe



Anti-Bacterial Filter



Upper Basket Height Adjustment Mechanism




Red Accessories











Color Options















Drying Systems




- 2 different types of drying systems on dishwashers;
- 1. Active Drying: Better drying performance with the help of the big size and condensation channels places inside of the drying unit. It improves the drying efficiency up to %10 better than standard drying.
- 2. Turbo Drying: Best drying performance with the help of electrical fan motor at the end of the condensation unit. It helps the moist air to escape with the %18-19 better drying efficiency.



AquaGlide

AquaGlide provides deep precision multidirectional targeted cleaning with pin-point accuracy. The spray can be directed upward for effective wash of glasses and baby bottles or downward to achieve extra strength wash in the dishes below.








WaterBlade


WaterBlade technology delivers a truly immersive powerful clean with two additional spray arms that can work both together with the main spray arm or individually.





14PS + Knifeshelf







EcoBox 💽



Ecobox technology delivers
the Worlds Lowest Water
Consumption for 14 place
settings with just 5.4 liters of
water use.



The working principle of ECOBOX is based on getting the last clean cycle rinse water, filtering it to avoid any particles and saving it in an isolated box to use in the first cycle of the next wash.



AutoDoor







AutoDoor is a technology that increases drying efficiency by opening the door of the dishwasher at the end of the cycle to release hot air.







Quickwash Program

QuickWash program is one of the fastest programs; cleaning dishes in a 4 place setting capacity dishwasher in 14 minutes.







Quickwash Program





BRAND	PROGRAMME NAME	PROGRAMME DURATION
SHARP	QUICKWASH 14'	14'
GORENJE	QUICK WASH	20' (with speedwash 15')
ВЕКО	XPRESS 20'	20'
BOSCH	TURBOSPEED 20'	20'
SIEMENS	QUICK WASH	29'
HOOVER	RAPID 24'	24'
INDESIT	RAPID 25'	25'
SAMSUNG	QUICK 40 °C	28'
HOTPOINT	EXPRESS 30'	30'
ELECTROLUX	QUICKPLUS 60°	30'
MIELE	FAST 60 °C	30'



Express 50' Program



Sharp dishwashers can achieve A class washing performance with our **EXPRESS 50'** wash, performing a 65°C cycle in a best in class 50 minutes.

It is the first and only dishwasher that achieves A class wash performance according to EN50242 for standard soiled dishe only 50 minutes approved by VDE and LGA.






Express 50' Program







BRAND	PROGRAMME NAME	PROGRAMME DURATION	DECLARATION
SHARP	EXPRESS 50'	50'	Α
ВЕКО	FAST 58' QUICK & CLEAN	58'	А
BOSCH	1 HOUR SHORT	60¹	А
SIEMENS	QUICK WASH	60'	А
HOOVER	WASH 39'	39'	А
INDESIT	SMART SIXTY	60'	А
SAMSUNG	DAILY 55™ CYCLE	55'	А
MIELE	QUICKPOWERWASH	58'	А



Hygiene Program



Our special Hygiene programme ensures maximum hygiene with high temperature washing. The special hygiene programme that eliminates 99.9999% of all bacteria is tested and approved by International German Test Institute of VDE. For further protection, all Sharp dishwashers come fitted as standard with an advanced Antibacterial Filter, helping to protect the family.















In the most appropriate moment the heater increases the water temperature up to around 70°C. Steam is created inside and softens up the soil from pots and pans to fragile glasses for about ten minutes. Dishes are gently sanitized at the same time. After this treatment the dirt is quickly and easily removed. High temperature and directly applied steam ensure perfect hygiene and gentle cleaning for dishes.

Steam wash is more hygienic, healthier and clean perfectly every kind of soil.









Advanced Inverter Motor Advanced Inverter Motor







Using BLDC pump technology, our Advanced Inverter Motor delivers superior performance.

Variable pump pressure adds new and versatile ways of washing the dishes, whilst the brushless motor is built for increased longevity, all backed by a 10yr Motor Warranty *






10yr Warranty Conditions



- 10 year warranty on the Advanced Inverter Motor
- Customer warranty registration within 30 days of purchase
- Terms and conditions apply
- Claims due to customer misuse are excluded





Dual ProWash Program







By using Advanced Inverter Motor technology on the circulation pump, Dual ProWash Dishwashers can tackle the dirtiest of pans in the bottom, whilst taking care of your delicate glasses in the top basket. Variable pump pressure helps to minimise noise levels, helping to maintain peace and quiet in the kitchen.



EcoWash Program







Provides the independent usage of upper and lower baskets within load options, saves energy and decrease water consumption.








IntelliWash Feature







IntelliWash uses smart technology to intelligently measure the levels of turbidity in the water, providing maximum performance by applying the optimum washing temperature and time according to the amount of soil.



I-LED





No need to follow the washing step on integrated machines.

Integrated dishwashers offer a space-saving and neat solution for washing the dishes

Due to the dishwasher controls being hidden, and the quiet operation of Sharp dishwashers, it is difficult to see if the program has ended

I-LED creates a cool glow on the top of the dishwasher door so you can see if the program is running or has ended





Extra Options

Options	Compatible Programs	Affects To The Program Flow	
Extra Dry	All programs except Mini and Prewash	Provides extra drying with turbo fan for 10-20 minutes (depends on the selected program).	
Extra Rinse	All programs except Mini and Prewash	Adds an extra rinse step to achieve more hygienic washing. Program duration is increased 5-10 minutes and water consumption is increased 3-4 liter according to the selected program.	
Extra Silent	Eco, Save+ 5.4 It and Dual Pro Wash	With less motor speed and more washing time it provides extra silent wash.	
Extra Fast	Eco, Save+ 5.4 It and Dual Pro Wash	Decreases program duration while increasing water temperature and pressure to ensure higher washing quality a shorter duration.	
Extra Hygiene	All programs except Mini, Prewash and Quick 30'	Increases water temperature at final rinse step in order to eliminate bacteria and provides maximum hygiene.	
Energy Save	All programs except Prewash and Steam Wash	A technology that makes the drying process more efficient. Auto Door opens the door of the dishwasher during the drying process automatically and by this way the hot air goes out of the dishwasher by itself.	



39dBA Sharp SuperQuiet Dishwasher



Whisper-quiet, our Super Quiet dishwashers can operate at a barely audible 39dBA.

Circulation pump Advanced Inverter Motor technology, a specially designed cabinet and advanced sound insulation allow our dishwashers to perform without making a noise.






39dB Sharp SuperQuiet Dishwasher





Decibel Scale





Exclusive Metal Handles



Basket handles (metal insert ones) have an emboss like "SHARP" figure. It means that you will notice an outward emboss when you hold the upper baskets' metal handle.








Exclusive Metal Handles







Premium Features

Summary





AutoDoor

This technology opens the door at the end of the wash cycle to assist the drying process, saving energy

AutoDoor is a technology that increases drying efficiency by opening the door of the dishwasher at the end of the cycle to release hot air.



DualProWash

Helps tackle the dirtiest of pans in the bottom, while taking care of your delicate glasses in the top

DualProWash Dishwashers can tackle the dirtiest of pans in the bottom, whilst taking care of your delicate glasses in the top basket.



EcoBox

This green innovation recycles the final rinsing water to use in the next wash, reducing water consumption ECOBOX is based on getting the last clean cycle rinse water, filtering it to avoid any particles and saving it in an isolated box to use in the first cycle of the next wash.



EcoWash

Our machines come as standard with half-load Eco-Wash technology, helping to save time, energy and money

Provides the independent usage of upper and lower baskets within load options, saves energy and decrease water consumption.



Express 50'

Delivering top washing quality in just 50', this program is the ultimate in efficient dishwashing

Sharp dishwashers can achieve A class washing performance with our EXPRESS 50' wash, performing a 65° C cycle in a best in class 50 minutes.



Premium Features

Summary





Flexi Tray

This ingenious little tray allows you to load and unload all your cutlery while also saving space in the machine

Thanks to Sharp Dishwasher 3rd rack, you have much more area for cutlery and no need to think twice for the wine glasses.



Hygiene

A special filter and a range of hygiene programs help Sharp dishwashers fight harmful bacteria Hygiene programme ensures maximum hygiene with high temperature washing. Hygiene programme eliminates 99.9999% of all bacteria.



I-LED

Don't get left in the dark, I-LED keeps you updated letting you know when the wash ends

I-LED creates a cool glow on the top of the dishwasher door so you can see if the program is running or has ended



IntelliWash

Intelligent sensor technology measures the soil level to auto-optimize cleaning performance

IntelliWash uses smart technology to measure the levels of turbidity in the water, providing maximum performance by applying the optimum washing temperature and time according to soil level.



QuickWash

Providing super-fast washing, this programme can clean 4 place settings in 14 minutes

QuickWash program is one of the fastest programs; cleaning dishes in a 4 place setting capacity dishwasher in 14 minutes.



Premium Features

Summary





Steam Wash

Making light work of stubborn dishes, Sharp SteamWash cleans baked-on food in a flash

High temperature and directly applied steam ensure perfect hygiene and gentle cleaning for dishes. Steam wash is more hygienic, healthier and clean perfectly every kind of soil.



SuperQuiet

Whisper quiet, this dishwasher can wash in near silence with only 39dBA sound level

Whisper-quiet, our Super Quiet dishwashers can operate at a barely audible 39dB.



Aquastop

The flood busting Aquastop hose shuts off the water supply in the event of a leak, limiting damage to your home

Aquastop is kind of water hose and this component can sense whether there is leakage on the hose and cuts the water accordingly.



Foldable Lower Racks

Pots and pans can be washed with ease thanks to these foldable lower rack wires

Racks are foldable for bottom basket, So you can also wash your big pans with dishwasher.



Foldable Upper & Lower

No need to struggle to get everything in, our machines have adjustable racks to fit in all your dishes, glasses, pots and pans

Racks are foldable for bottom and upper basket, So you can also wash your bigger dishes with dishwasher.



Instore Support



SHARP

Be Original.

Home Appliances



10yr Motor Warranty

Our **Advanced Inverter Motor** delivers superior efficiency and quieter operation, all backed by a 10yr parts warranty



EcoWash

Our machines come as standard with half-load Eco-Wash technology, helping to save time, energy and money



Hygiene

Our special filter eliminates 99% of bacteria keeping your dishwasher safe, clean and fresh



Express 50'

Delivering top washing quality in just 50', this program is the ultimate in efficient dishwashing

Register your product online: www.sharphomeappliances.com



Product Range Freestanding 60 cm Range







QW-NA1BF47EW



Key Points				
Capacity	13 PS			
Program Number	3 programmes			
Cabinet Type	60cm			
Energy Label	E			
Water Consumption	12 liters			
Antibacterial Filter	YES			
Sound Level (dBA)	47 dBA			
Drying System	Active Drying			
Number of Rack	2 racks			
Overflow & Leakage Protection	YES			
Delay Timer	Yes (1-2-324hr)			

General Info				
Display	White LED			
Half Load Option	YES (1 Mode)			
Express 50	YES			

Lower Basket Type	Lower Basket Handle	Cutlery	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
FIXED	NO HANDLE	FIXED	PEG	ADJ. WHEN EMPTY	PEG TYPE - FIXED RACKS	4 ADJUSTABLE MUGSHELF	NO HANDLE





QW-NA1CF47EW



Key Points				
Capacity	13 PS			
Program Number	4 programmes			
Cabinet Type	60cm			
Energy Label	E			
Water Consumption	12 liters			
Antibacterial Filter	YES			
Sound Level (dBA)	47 dBA			
Drying System	Active Drying			
Number of Rack	2 racks			
Overflow & Leakage Protection	YES			
Delay Timer	Yes (1-2-324hr)			

General Info				
Display	White LED			
Half Load Option	YES (1 Mode)			
Express 50	YES			

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
2 FOLD. RACKS	PLASTIC HANDLE	FIXED	PEG	ADJ. WHEN EMPTY	PEG TYPE - 4 FOLD. RACKS	4 ADJUSTABLE MUGSHELF	PLASTIC HANDLE





QW-NA1DF45EW



Key Points				
Capacity	15 PS			
Program Number	5 programmes			
Cabinet Type	60cm			
Energy Label	E			
Water Consumption	9 liters			
Antibacterial Filter	YES			
Sound Level (dBA)	45 dBA			
Drying System	Turbo Drying			
Number of Rack	3 racks			
Overflow & Leakage Protection	YES			
Delay Timer	Yes (1-2-324hr)			

General Info				
Display	White LED			
Half Load Option	YES (1 Mode)			
Express 50	YES			
HygieneWash	YES			

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD.	PLASTIC	UNIVE	PEG	ADJ. WHEN	PEG TYPE - 4	4 ADJUSTABLE	PLASTIC
RACKS	HANDLE	RSAL		LOADED	FOLD. RACKS	MUGSHELF	HANDLE





QW-NA1EF45DW



Key Points						
Capacity	13 PS					
Program Number	6 programmes					
Cabinet Type	60cm					
Energy Label	D					
Water Consumption	12 Liters					
Antibacterial Filter	YES					
Sound Level (dBA)	45 Dba					
Drying System	Active Drying					
Number of Rack	2 racks					
Overflow & Leakage Protection	YES					
Delay Timer	Yes (1-2-324hr)					

General Info							
White LED							
YES (1 Mode)							
YES							
YES							
YES							
YES							

Lower Basket Type	Lower Basket Handle	Cutlery	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
FIXED	NO HANDLE	FIXED	PEG	ADJ. WHEN EMPTY	PEG TYPE - FIXED RACKS	4 ADJUSTABLE MUGSHELF	NO HANDLE





QW-NA1FF45DW



Key Points					
Capacity	16 PS				
Program Number	7 programmes				
Cabinet Type	60cm				
Energy Label	D				
Water Consumption	9 liters				
Antibacterial Filter	YES				
Sound Level (dBA)	45 dBA				
Drying System	Turbo Drying				
Number of Rack	3 racks				
Overflow & Leakage Protection	YES				
Delay Timer	Yes (1-2-324hr)				

General Info				
Display	White LED			
Half Load Option	YES (1 Mode)			
Express 50	YES			
HygieneWash	YES			
Autodoor	YES			
Interior light	YES			

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD.	PLASTIC	UNIVE	PEG	ADJ. WHEN	PEG TYPE - 4	4 ADJUSTABLE	PLASTIC
RACKS	HANDLE	RSAL		LOADED	FOLD. RACKS	MUGSHELF	HANDLE





QW-NA21F45EW



Key Points					
Capacity	15 PS				
Program Number	6 programmes				
Cabinet Type	60cm				
Energy Label	Е				
Water Consumption	9 liters				
Antibacterial Filter	YES				
Sound Level (dBA)	45 dBA				
Drying System	Turbo Drying				
Number of Rack	3 racks (Easy Tray)				
Overflow & Leakage Protection	YES				
Delay Timer	Yes (1-2-324hr)				

General Info				
Display	White LED			
Half Load Option	YES (3 Modes)			
Express 50	YES			

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD.	PLASTIC	UNIVE	PEG	ADJ. WHEN	PEG TYPE - 4	4 ADJUSTABLE	PLASTIC
RACKS	HANDLE	RSAL		LOADED	FOLD. RACKS	MUGSHELF	HANDLE





QW-NA31F45EW



Key Points					
Capacity	15 PS				
Program Number	6 programmes				
Cabinet Type	60cm				
Energy Label	E				
Water Consumption	9 liters				
Antibacterial Filter	YES				
Sound Level (dBA)	45 dBA				
Drying System	Turbo Drying				
Number of Rack	3 racks (Easy Tray)				
Overflow & Leakage Protection	YES				
Delay Timer	Yes (1-2-324hr)				
AquaGlide & WaterBlade	YES				

General Info				
Display	White LED			
ExtraSilent & ExtraDry	YES			
Half Load Option	YES (3 Modes)			
IntelliWash	YES			
DualPro Wash	YES			
QuickWash	YES			
Express 50	YES			

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD.	PLASTIC	UNIVE	PEG	ADJ. WHEN	PEG TYPE - 4	4 ADJUSTABLE	PLASTIC
RACKS	HANDLE	RSAL		EMPTY	FOLD. RACKS	MUGSHELF	HANDLE





QW-NA26F45DW



Key Points				
Capacity	15 PS			
Program Number	8 programmes			
Cabinet Type	60cm			
Energy Label	D			
Water Consumption	9 liters			
Antibacterial Filter	YES			
Sound Level (dBA)	45 dBA			
Drying System	Turbo Drying			
Number of Rack	3 racks			
Overflow & Leakage Protection	YES			
Delay Timer	Yes (1-2-324hr)			

General Info				
Display	White LED			
ExtraSilent & ExtraDry	YES			
Half Load Option	YES (3 Modes)			
IntelliWash	YES			
DualPro Wash	YES			
QuickWash	YES			
Express 50	YES			
Advanced Inverter Type	YES			

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD.	PLASTIC	UNIVE	PEG	ADJ. WHEN	PEG TYPE - 4	4 ADJUSTABLE	PLASTIC
RACKS	HANDLE	RSAL		EMPTY	FOLD. RACKS	MUGSHELF	HANDLE





QW-NA24F42DW



Key Points						
Capacity	15 PS					
Program Number	8 programmes					
Cabinet Type	60cm					
Energy Label	D					
Water Consumption	9 liters					
Antibacterial Filter	YES					
Sound Level (dBA)	42 dBA					
Drying System	Turbo Drying					
Number of Rack	3 racks (Easy Tray)					
Overflow & Leakage Protection	YES					
Delay Timer	Yes (1-2-324hr)					
AquaGlide & WaterBlade	YES					

General Info						
Display	White LED					
Half Load Option	YES (3 Modes)					
IntelliWash	YES					
DualPro Wash	YES					
QuickWash	YES					
Express 50	YES					
AutoDoor	YES					
Advanced Inverter Type	YES					

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD. RACKS	V2 METAL INSERT HANDLE	UNIVE RSAL	PEG	ADJ. WHEN LOADED	PEG TYPE - 4 FOLD. RACKS	4 ADJUSTABLE MUGSHELF	V2 METAL INSERT HANDLE





QW-NA34F42DW



Key Points						
Capacity	15 PS					
Program Number	8 programmes					
Cabinet Type	60cm					
Energy Label	D					
Water Consumption	9 liters					
Antibacterial Filter	YES					
Sound Level (dBA)	42 dBA					
Drying System	Turbo Drying					
Number of Rack	3 racks (Easy Tray)					
Overflow & Leakage Protection	YES					
Delay Timer	Yes (1-2-324hr)					
AquaGlide & WaterBlade	YES					

General Info						
Display	White LED Touch					
Half Load Option	YES (3 Modes)					
IntelliWash	YES					
DualPro Wash	YES					
QuickWash	YES					
Express 50	YES					
AutoDoor	YES					
Advanced Inverter Type	YES					

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD. RACKS	V2 METAL INSERT HANDLE	UNIVE RSAL	PEG	ADJ. WHEN LOADED	PEG TYPE - 4 FOLD. RACKS	4 ADJUSTABLE MUGSHELF	V2 METAL INSERT HANDLE





QW-NA2XF44CW

RACKS

RSAL

HANDLE



Key Points						
apacity	14 P	14 PS				
rogram Number	9 progra	mmes			General Inf	0
Cabinet Type	60cr	m	_	Display		Whit
Energy Label	С			EcoBox		Υ
Water Consumption	9 lite	ers		Half Load	Option Y	ES (3
Antibacterial Filter	YES	5		IntelliWas	h	YI
Sound Level (dBA)	44 df	ВА		DualPro W	ash (ΥI
Drying System	Active Drying Interior LED lightning		D	YE		
Number of Rack	3 racks (Ea	3 racks (Easy Tray)		QuickWa	sh	YE
Overflow & Leakage Protection	YES	YES		Express 50		YE
Delay Timer	Yes (1-2-3-	24hr)		AutoDoor		YE
AquaGlide & WaterBlade	YES	YES		Advanced Inverter Ty	/pe	YE
Lower Lower		Upper				ا (
Basket Basket Type Handle	Cutler Basket y Type	Basket Height		er Basket Type	Upper Baske StemSafe	et E
4 FOLD. V2 META	UNIVE RSAI PEG	ADJ. WHEN		TYPE - 4	4 ADJUSTABL	E V2

LOADED

FOLD. RACKS

MUGSHELF

HANDLE





QW-NA25F44BW

HANDLE

RSAL

RACKS



Ke	y Points			
Capacity	14 PS			
Program Number	8 programmes		General Info	
Cabinet Type	60cm	Display	W	/hi
Energy Label	В	ЕсоВох		Υ
Water Consumption	9 liters	Half Load O	option YES	(3
Antibacterial Filter	YES	IntelliWash		Υ
Sound Level (dBA)	44 dBA	DualPro Wa	ash	Υ
Drying System	Turbo Drying	Interior LED lightning)	ΥE
Number of Rack	3 racks (Easy Tra	y) QuickWas	h	Υ
Overflow & Leakage Protection	YES	Express 50		ΥE
Delay Timer	Yes (1-2-324h	ar) AutoDoor		Υ
AquaGlide & WaterBlade	YES	Advanced Inverter Typ	pe	YE
Lower Lower	1 10	pper Lucas Basket		Į
Basket Basket Type Handle	Cutier Basket Ba	Upper Basket Type	Upper Basket StemSafe	E
4 FOLD. V2 METAL RACKS INSERT	PFG	WHEN PEG TYPE - 4	4 ADJUSTABLE	V2 I

LOADED

FOLD. RACKS

MUGSHELF

HANDLE





QW-NA3XF44CW



K	ey Points	
acity	14 PS	
ogram Number	8 programmes	General In
inet Type	60cm	Display W
rgy Label	С	EcoBox
ter Consumption	9 liters	Half Load Option
ibacterial Filter	YES	IntelliWash
und Level (dBA)	44 Dba	DualPro Wash
ring System	Active Drying	Interior LED lightning
mber of Rack	3 racks (Easy Tray)	QuickWash
erflow & Leakage stection	YES	Express 50
lay Timer	Yes (1-2-324hr)	AutoDoor
quaGlide & aterBlade	YES	Advanced Inverter Type
ower Lower asket Basket Type Handle	Cutler Basket Type Height	Upper Basket Type Upper Basket StemSafe
OLD. V2 METAL INSERT HANDLE	UNIVE PEG ADJ. WH RSAL PEG LOADEI	





QW-NA35F44BW



, k	Key Points	
Capacity	14 PS	
Program Number	8 programmes	General Info
Cabinet Type	60cm	Display White LED Touch
Energy Label	В	EcoBox YES
Water Consumption	9 liters	Half Load Option YES (3 Modes)
Antibacterial Filter	YES	IntelliWash YES
Sound Level (dBA)	44 dBA	DualPro Wash YES
Drying System	Turbo Drying	Interior LED YES lightning
Number of Rack	3 racks (Easy Tray)	QuickWash YES
Overflow & Leakage Protection	YES	Express 50 YES
Delay Timer	Yes (1-2-324hr)	AutoDoor YES
AquaGlide & WaterBlade	YES	Advanced YES Inverter Type
Lower Basket Type Handle	Cutler Basket Type Upper Basket Height	Upper Basket Type Upper Basket StemSafe Upper Basket Handle
4 FOLD. RACKS V2 METAL INSERT HANDLE	UNIVE PEG ADJ. WHEN	PEG TYPE - 4 4 ADJUSTABLE FOLD. RACKS MUGSHELF HANDLE





QW-NA4YF44AW

HANDLE



Key Points										
Capacity		14 PS								
Program	Number	1	LO progra	immes			General In	fo		
Cabinet T	⁻ уре		60cm			Display	W	hite LED Toucl		
Energy La	abel		А			EcoBox		YES		
Water Co	onsumption		9 lite	rs		Half Load	l Option Y	'ES (3 Modes)		
Antibacte	ntibacterial Filter		YES	•		IntelliWa	sh	YES		
Sound Le	vel (dBA)	44 dBA		DualF		Wash	YES			
Drying Sy	Drying System		Turbo Drying			Interior L		YES		
Number	of Rack	3 racks (Easy Tray)		sy Tray)		QuickW		YES		
Overflow Protectio	& Leakage n		YES			Express 5	50	YES		
Delay Tin	ner	Ye	es (1-2-3-	24hr)		AutoDoo	r	YES		
AquaGlid WaterBla			YES		YES			Advance Inverter		YES
Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height		r Basket ype	Upper Basket StemSafe	Upper Basket Handle		
4 FOLD. RACKS	V2 METAL INSERT	UNIVE RSAL	PEG	ADJ. WHEN LOADED	. – -	TYPE - 4). RACKS	4 ADJUSTABLE MUGSHELF	V2 METAL INSERT		



HANDLE



QW-HX12F47EW



Key Points						
Capacity	13 PS					
Program Number	3 programs					
Cabinet Type	60cm					
Energy Label	E					
Water Consumption	12 liters					
Antibacterial Filter	Yes					
Sound Level (dBA)	47 dBA					
Drying System	Active Drying					
Number of Rack	2 racks					
Overflow & Leakage Protection	Yes					
Delay Timer	Yes (1-2-319hr)					

General Info				
Display	LED			
Half Load Option	YES (1 Mode)			
Express 50	YES			

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD. RACKS	V2 PLASTIC HANDLE	SLIDE	PEG	ADJ. WHEN EMPTY	V2 PEG TYPE - FIXED RACKS	4 ADJUSTABLE MUGSHELF	V2 PLASTIC HANDLE





QW-HX13F47EW



Key Points		
Capacity	13 PS	
Program Number	4 programmes	
Cabinet Type	60cm	
Energy Label	E	
Water Consumption	12 liters	
Antibacterial Filter	Yes	
Sound Level (dBA)	47 dBA	
Drying System	Active Drying	
Number of Rack	2 racks	
Overflow & Leakage Protection	Yes	
Delay Timer	Yes (1-2-319hr)	

General Info				
Display	LED			
Half Load Option	YES (1 Mode)			
QuickWash	Quick 30'			
Express 50	YES			

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD. RACKS	V2 PLASTIC HANDLE	SLIDE	PEG	ADJ. WHEN EMPTY	V2 PEG TYPE - FIXED RACKS	4 ADJUSTABLE MUGSHELF	V2 PLASTIC HANDLE





QW-HY15F49EW



Key Points		
Capacity	13 PS	
Program Number	6 programs	
Cabinet Type	60cm	
Energy Label	E	
Water Consumption	12 liters	
Antibacterial Filter	Yes	
Sound Level (dBA)	49 dBA	
Drying System	Active Drying	
Number of Rack	2 racks	
Overflow & Leakage Protection	Yes	
Delay Timer	Yes (1-2-319hr)	

General Info			
Display	LED		
Half Load Option	YES (1 Mode)		
QuickWash	Quick 30'		
Express 50	YES		

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD. RACKS	V2 PLASTIC HANDLE	SLIDE	PEG	ADJ. WHEN EMPTY	V2 PEG TYPE - FIXED RACKS	4 ADJUSTABLE MUGSHELF	V2 PLASTIC HANDLE





QW-HY25F42DW



Ke	ey Points	General Info
Capacity	15 PS	Display LED
Program Number	9 programmes	SteamWash YES
Cabinet Type	60cm	ExtraSilent & YES ExtraDry
Energy Label	D	Half Load Option YES (3 Modes)
Water Consumption	9 liters	IntelliWash YES
Antibacterial Filter	Yes	DualPro Wash YES
Sound Level (dBA)	42 dBA	QuickWash YES
Drying System	Turbo Drying	Express 50 YES
Number of Rack	er of Rack 3 racks AutoDoor	
Overflow & Leakage Protection	Yes	HygieneWash YES
Delay Timer	Yes (1-2-319hr)	Advanced YES Inverter Type
Lower Lower Basket Basket Type Handle	Cutler Basket Type Upper Basket Height	Upper Basket Type Upper Basket StemSafe Upper Basket Handle
4 FOLD. RACKS V2 METAL INSERT HANDLE	UNIVE PEG ADJ. WHEN	V2 PEG TYPE - 6 FOLDABLE 4 ADJUSTABLE INSERT RACKS HUGSHELF HANDLE





QW-HY26F39DW



	Key Points	General Info
Capacity	15 PS	Display LED
Program Number	9 programmes	SteamWash YES
Cabinet Type	60cm	ExtraSilent & YES ExtraDry
Energy Label	D	Half Load Option YES (3 Modes)
Water Consumptio	n 9 liters	IntelliWash YES
Antibacterial Filter	Yes	DualPro Wash YES
Sound Level (dBA)	39 dBA	QuickWash YES
Drying System	Turbo Drying	Express 50 YES
Number of Rack	3 racks	HygieneWash YES
Overflow & Leakag Protection	e Yes	Advanced YES Inverter Type
Delay Timer	Yes (1-2-319hr)	
Lower Lower Basket Basket Type Handle	V Type	Upper Basket Type Upper Basket StemSafe Upper Basket Handle
4 FOLD. RACKS V2 META INSERT HANDLE	UNIVE PEG ADJ. WHEN	V2 PEG TYPE - 4 ADJUSTABLE INSERT RACKS MUGSHELF HANDLE





QW-HT31R45EW



Key Points		
Capacity	15 PS	
Program Number	6 programs	
Cabinet Type	60cm	
Energy Label	E	
Water Consumption	9 liters	
Antibacterial Filter	Yes	
Sound Level (dBA)	45 dBA	
Drying System	Turbo Drying	
Number of Rack	3 racks	
Overflow & Leakage Protection	Yes	
Delay Timer	Yes (1-2-324hr)	
AquaGlide & WaterBlade	YES	

General Info				
Display	Icon LED			
Half Load Option	YES (3 Modes)			
IntelliWash	YES			
QuickWash	YES			
Express 50	YES			

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD. RACKS	V2 METAL INSERT HANDLE	UNIVE RSAL	PEG	ADJ. WHEN LOADED	V2 PEG TYPE - 6 FOLDABLE RACKS	4 ADJUSTABLE MUGSHELF	V2 METAL INSERT HANDLE









Key Points						
Capacity	15 PS					
Program Number	10 programmes					
Cabinet Type	60cm					
Energy Label	E					
Water Consumption	9 liters					
Antibacterial Filter	Yes					
Sound Level (dBA)	45 dBA					
Drying System	Turbo Drying					
Number of Rack	3 racks					
Overflow & Leakage Protection	Yes					
Delay Timer	Yes (1-2-319hr)					

General Info						
Display	LED					
Half Load Option	YES (3 Modes)					
IntelliWash	YES					
HygieneWash	YES					

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD. RACKS	V2 METAL INSERT HANDLE	UNIVE RSAL	PEG	ADJ. WHEN LOADED	V2 PEG TYPE - 6 FOLDABLE RACKS	4 ADJUSTABLE MUGSHELF	V2 METAL INSERT HANDLE






QW-I23F47EW



Key Points					
Capacity	13 PS				
Program Number	9 programmes				
Cabinet Type	60cm				
Energy Label	E				
Water Consumption	9 liters				
Antibacterial Filter	Yes				
Sound Level (dBA)	47 dBA				
Drying System	Active Drying				
Number of Rack	2 racks				
Overflow & Leakage Protection	Yes				
Delay Timer	Yes (1-2-319hr)				

General Info							
Display	LED						
Half Load Option	YES (3 Modes)						
IntelliWash	YES						
HygieneWash	YES						

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
2 FOLD. RACKS	NO HANDLE	FIXED	PEG	ADJ. WHEN EMPTY	V2 PEG TYPE - FIXED RACKS	4 ADJUSTABLE MUGSHELF	NO HANDLE





VESTEL RETRO OISHWASHER FAMILY



60 CM > I SERIES > RETRO TROY


COLOR OPTIONS





SHARP Home App Smart ?

















QW-WNA28F39DW



Key Points						
Capacity	15 PS					
Program Number	8 programmes					
Cabinet Type	60cm					
Energy Label	D					
Water Consumption	9 liters					
Antibacterial Filter	YES					
Sound Level (dBA)	39 dBA					
Drying System	Turbo Drying					
Number of Rack	3 racks					
Overflow & Leakage Protection	YES					
Delay Timer	Yes (1-2-324hr)					

General Info						
Display	White LED					
ExtraSilent & ExtraDry	YES					
Half Load Option	YES (3 Modes)					
IntelliWash	YES					
DualPro Wash	YES					
QuickWash	YES					
Express 50	YES					
Advanced Inverter Type	YES					
Steam Wash	YES					

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD. RACKS	V2 METAL INSERT HANDLE	UNIVE RSAL	PEG	ADJ. WHEN LOADED	PEG TYPE - 4 FOLD. RACKS	4 ADJUSTABLE MUGSHELF	V2 METAL INSERT HANDLE



Built-In 60 cm Range









QW-NI13I49EX



Key Points						
Capacity	13 PS					
Program Number	4 programmes					
Cabinet Type	60cm					
Energy Label	E					
Water Consumption	12 liters					
Antibacterial Filter	Yes					
Sound Level (dBA)	49 dBA					
Drying System	Active Drying					
Number of Rack	2 racks					
Overflow & Leakage Protection	Yes					
Delay Timer	Yes (3-6-9 hr)					

General Info							
Half Load Option	YES (1 Mode)						
Express 50	YES						

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD. RACKS	NO HANDLE	FIXED	PEG	ADJ. WHEN LOADED	PEG TYPE - FIXED RACKS	2 ADJUSTABLE MUGSHELF	V2 PLASTIC HANDLE





QW-NI14I47EX



Key Points							
Capacity	13 PS						
Program Number	5 programmes						
Cabinet Type	60cm						
Energy Label	E						
Water Consumption	12 liters						
Antibacterial Filter	Yes						
Sound Level (dBA)	47 dBA						
Drying System	Active Drying						
Number of Rack	2 racks						
Overflow & Leakage Protection	Yes						
Delay Timer	Yes (3-6-9 hr)						

Cutler Basket

Lower

Basket

Lower

Basket

General Info						
Half Load Option	YES (1 Mode)					
Express 50	YES					

Upper Basket Upper Basket

Upper Basket

Type	Handle	У	Туре	Height	Туре	StemSare	Handle
4 FOLD. RACKS	V2 PLASTIC HANDLE	FIXED	PEG	ADJ. WHEN LOADED	PEG TYPE - 4 FOLD. RACKS	4 ADJUSTABLE MUGSHELF	V2 PLASTIC HANDLE





QW-NI15I45DX



Key Points						
Capacity	13 PS					
Program Number	6 programmes					
Cabinet Type	60cm					
Energy Label	D					
Water Consumption	12 liters					
Antibacterial Filter	Yes					
Sound Level (dBA)	45 dBA					
Drying System	Active Drying					
Number of Rack	2 racks					
Overflow & Leakage Protection	Yes					
Delay Timer	Yes (3-6-9 hr)					

Cutler Basket

Lower

Basket

Lower

Basket

General Info	
Half Load Option	YES (1 Mode)
Express 50	YES
Info Led 2.1	YES

StemSafe

Upper Basket Upper Basket

Upper Basket

ı ype	Handle			Height	· · ·		Handle
4 FOLD. RACKS	V2 PLASTIC HANDLE	FIXED	PEG	ADJ. WHEN LOADED	PEG TYPE - 4 FOLD. RACKS	4 ADJUSTABLE MUGSHELF	V2 PLASTIC HANDLE

Upper Basket





QW-NI1FI45DX



Key Points							
Capacity	16 PS						
Program Number	7 programmes						
Cabinet Type	60cm						
Energy Label	D						
Water Consumption	9 liters						
Antibacterial Filter	Yes						
Sound Level (dBA)	45 Dba						
Drying System	Turbo Drying						
Number of Rack	3 racks						
Overflow & Leakage Protection	Yes						
Delay Timer	Yes (3-6-9 hr)						

Lower

Lower

General Info)
Half Load Option	YES (1 Mode)
Express 50	YES
Info Led 2.1	YES

Upper

Basket Type	Basket Handle	Cutler y	Basket Type	Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD. RACKS	V2 PLASTIC HANDLE	FIXED	PEG	ADJ. WHEN LOADED	PEG TYPE - 4 FOLD. RACKS	4 ADJUSTABLE MUGSHELF	V2 PLASTIC HANDLE

Upper





QW-NI1EI45EX



Key Points						
Capacity	15 PS					
Program Number	6 programmes					
Cabinet Type	60cm					
Energy Label	E					
Water Consumption	9 liters					
Antibacterial Filter	Yes					
Sound Level (dBA)	45 dBA					
Drying System	Turbo Drying					
Number of Rack	3 racks					
Overflow & Leakage Protection	Yes					
Delay Timer	Yes (1-2-319hr)					

General Info						
Display	White LED					
Half Load Option	YES (1 Mode)					
Express 50	YES					
HygieneWash	YES					

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD.	V2 PLASTIC	UNIVE	PEG	ADJ. WHEN	PEG TYPE - 4	4 ADJUSTABLE	V2 PLASTIC
RACKS	HANDLE	RSAL		LOADED	FOLD. RACKS	MUGSHELF	HANDLE





QW-NI22I45EX



Key Points					
Capacity	15 PS				
Program Number	8 programmes				
Cabinet Type	60cm				
Energy Label	E				
Water Consumption	9 liters				
Antibacterial Filter	Yes				
Sound Level (dBA)	45 dBA				
Drying System	Turbo Drying				
Number of Rack	3 racks (Easy Tray)				
Overflow & Leakage Protection	Yes				
Delay Timer	Yes (1-2-319hr)				

General Info					
Display	White LED				
Half Load Option	YES (3 Modes)				
Interior LED lightning	YES				
Express 50	YES				

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD.	V2 PLASTIC	UNIVE	PEG	ADJ. WHEN	PEG TYPE - 4	4 ADJUSTABLE	V2 PLASTIC
RACKS	HANDLE	RSAL		LOADED	FOLD. RACKS	MUGSHELF	HANDLE





QW-NI27I47DX



Key Points					
Capacity	15 PS				
Program Number	7 programmes				
Cabinet Type	60cm				
Energy Label	D				
Water Consumption	9 liters				
Antibacterial Filter	Yes				
Sound Level (dBA)	47 dBA				
Drying System	Turbo Drying				
Number of Rack	3 racks (Easy Tray)				
Overflow & Leakage Protection	Yes				
Delay Timer	Yes (1-2-319hr)				

General Info					
Display	White LED				
ExtraSilent & ExtraDry	YES				
Half Load Option	YES (3 Modes)				
IntelliWash	YES				
Interior LED lightning	YES				
Express 50	YES				
DualPro Wash	YES				
Steam Wash	YES				
Advanced Inverter Type	YES				

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
4 FOLD.	V2 PLASTIC	UNIVE	PEG	ADJ. WHEN	PEG TYPE - 4	4 ADJUSTABLE	V2 PLASTIC
RACKS	HANDLE	RSAL		LOADED	FOLD. RACKS	MUGSHELF	HANDLE



Semi-Integrated 60 cm Range







QW-NA24S42DI

RACKS

RSAL

HANDLE



	Key Points							
Capacity		15 PS						
Program	Number		8 progra	mmes		General In		fo
Cabinet T	уре		60cr	n		Display		White LED
Energy La	ibel		D			Half Load Option		/ES (3 Modes)
Water Co	nsumption	9 liters			IntelliWash		YES	
Antibacte	erial Filter	YES			DualPro Wash		YES	
Sound Le	vel (dBA)	A) 42 dBA			QuickWash		YES	
Drying Sy	stem		Turbo D	rying		Express 50		YES
Number o	of Rack	3 ו	acks (Ea	sy Tray)		AutoDoor		YES
Overflow Protectio	& Leakage n		YES			Advanced Inverter Type		YES
Delay Tim	ner	Yes (1-2-324hr)						
Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height		r Basket Type	Upper Baske StemSafe	t Upper Basket Handle
4 FOLD.	V2 METAL INSERT	UNIVE RSAI	PEG	ADJ. WHEN	_	TYPE - 4	4 ADJUSTABLE	V2 METAL INSERT

LOADED

FOLD. RACKS

MUGSHELF

HANDLE



Freestanding 45 cm Range









QW-NS1CF49EW

Key Points					
Capacity	10 PS				
Program Number	4 programmes				
Cabinet Type	45cm				
Energy Label	E				
Water Consumption	11 liters				
Antibacterial Filter	YES				
Sound Level (dBA)	49 dBA				
Drying System	Active Drying				
Number of Rack	2 racks				
Overflow & Leakage Protection	YES				
Delay Timer	Yes (1-2-324hr)				

General Info					
Display	White LED				
Half Load Option	YES (1 Mode)				
Express 50	YES				

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
FIXED	NO HANDLE	UNIVE RSAL	PEG	ADJ. WHEN LOADED	PEG - FOLD. RACKS	4 FIXED MUGSHELF	NO HANDLE





QW-NS22F47EW



Key Points					
Capacity	10 PS				
Program Number	7 programmes				
Cabinet Type	45cm				
Energy Label	Е				
Water Consumption	9 liters				
Antibacterial Filter	YES				
Sound Level (dBA)	47 dBA				
Drying System	Turbo Drying				
Number of Rack	3 racks (Easy Tray)				
Overflow & Leakage Protection	YES				
Delay Timer	Yes (1-2-324hr)				

General Info					
Display	White LED				
Half Load Option	YES (3 Modes)				
Express 50	YES				

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
2 FOLD.	PLASTIC	UNIVE	PEG	ADJ. WHEN	PEG - FOLD.	2 FIXED	PLASTIC
RACKS	HANDLE	RSAL		LOADED	RACKS	MUGSHELF	HANDLE





QW-NS24F44DW



Key Points					
Capacity	10 PS				
Program Number	8 programmes				
Cabinet Type	45cm				
Energy Label	D				
Water Consumption	9 liters				
Antibacterial Filter	YES				
Sound Level (dBA)	44 dBA				
Drying System	Turbo Drying				
Number of Rack	3 racks (Easy Tray)				
Overflow & Leakage Protection	YES				
Delay Timer	Yes (1-2-324hr)				

General Info						
Display	White LED					
Half Load Option	YES (3 Modes)					
IntelliWash	YES					
DualPro Wash	YES					
QuickWash	YES					
Express 50	YES					
AutoDoor	YES					
Advanced Inverter Type	YES					

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
2 FOLD.	PLASTIC	UNIVE	PEG	ADJ. WHEN	PEG - FOLD.	2 FIXED	PLASTIC
RACKS	HANDLE	RSAL		LOADED	RACKS	MUGSHELF	HANDLE





QW-HS24F47EW



Key Points					
Capacity	10 PS				
Program Number	9 programmes				
Cabinet Type	Slim (45cm)				
Energy Label	E				
Water Consumption	9 liters				
Antibacterial Filter	Yes				
Sound Level (dBA)	47 dBA				
Drying System	Turbo Drying				
Number of Rack	2 racks				
Overflow & Leakage Protection	Yes				
Delay Timer	Yes (1-2-319hr)				

General Info							
Display	LED						
Half Load Option	YES (3 Modes)						
IntelliWash	YES						
Express 50	YES						
HygieneWash	YES						
SteamWash	YES						

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
2 FOLD.	PLASTIC	UNIVE	PEG	ADJ. WHEN	PEG TYPE -	4 FIXED	PLASTIC
RACKS	HANDLE	RSAL		LOADED	FOLDABLE RACKS	MUGSHELF	HANDLE





QW-HS25F44DW



Program Number 9 programmes Ext Ext Cabinet Type Slim (45cm) Ha Energy Label D Int Water Consumption 9 liters Du Antibacterial Filter Yes Qu Sound Level (dBA) 44 dBA Ext Drying System Turbo Drying Au Number of Rack 3 racks Hy Overflow & Leakage Protection Yes	К	ey Points	
Program Number 9 programmes Ext Cabinet Type Slim (45cm) Ha Energy Label D Int Water Consumption 9 liters Du Antibacterial Filter Yes Qu Sound Level (dBA) 44 dBA Exp Drying System Turbo Drying Au Number of Rack 3 racks Hy Overflow & Leakage Protection Yes	Capacity	10 PS	Dis
Energy Label D Int Water Consumption 9 liters Du Antibacterial Filter Yes Qu Sound Level (dBA) 44 dBA Exp Drying System Turbo Drying Au Number of Rack 3 racks Hy Overflow & Leakage Protection Yes	Program Number	9 programmes	Ext Ext
Water Consumption 9 liters Du Antibacterial Filter Yes Qu Sound Level (dBA) 44 dBA Exp Drying System Turbo Drying Au Number of Rack 3 racks Hy Overflow & Leakage Protection Yes	Cabinet Type	Slim (45cm)	Hal
Antibacterial Filter Yes Qu Sound Level (dBA) 44 dBA Exp Drying System Turbo Drying Au Number of Rack 3 racks Hy Overflow & Leakage Protection Yes	Energy Label	D	Inte
Sound Level (dBA) Drying System Turbo Drying Au Number of Rack Overflow & Leakage Protection Yes Turbo Drying Au Ad Inv	Water Consumption	9 liters	Du
Drying System Turbo Drying Au Number of Rack 3 racks Hy Overflow & Leakage Protection Yes Inv	Antibacterial Filter	Yes	Qu
Number of Rack 3 racks Hyper Section Yes Add Inv	Sound Level (dBA)	44 dBA	Exp
Overflow & Leakage Yes Inv	Drying System	Turbo Drying	Aut
Protection Yes Inv	Number of Rack	3 racks	Ну
Delay Timer Yes (1-2-319hr) Ste	_	Yes	Ad Inv
	Delay Timer	Yes (1-2-319hr)	Ste

Gener	al Info
Display	LED
ExtraSilent & ExtraDry	YES
Half Load Option	YES (3 Modes)
IntelliWash	YES
DualPro Wash	YES
QuickWash	YES
Express 50	YES
AutoDoor	YES
HygieneWash	YES
Advanced Inverter Type	YES
SteamWash	YES

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
2 FOLD.	PLASTIC	UNIVE	PEG	ADJ. WHEN	PEG TYPE -	2 FIXED	PLASTIC
RACKS	HANDLE	RSAL		LOADED	FOLDABLE RACKS	MUGSHELF	HANDLE



Built-In 45 cm Range









QW-NS12I49EX



Key Points						
Capacity	10 PS					
Program Number	3 programmes					
Cabinet Type	45cm					
Energy Label	E					
Water Consumption	11 liters					
Antibacterial Filter	Yes					
Sound Level (dBA)	49 dBA					
Drying System	Active Drying					
Number of Rack	2 racks					
Overflow & Leakage Protection	Yes					
Delay Timer	Yes (3-6-9 hr)					

Gener	al Info
Half Load Option	YES (1 Mode)
Express 50	YES

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
2 FOLD.	PLASTIC	UNIVE	PEG	ADJ. WHEN	PEG TYPE	4 FIXED	PLASTIC
RACKS	HANDLE	RSAL		EMPTY	FOLD. RACKS	MUGSHELF	HANDLE





QW-NS14I49EX



Key Points				
Capacity	10 PS			
Program Number	5 programmes			
Cabinet Type	45cm			
Energy Label	Е			
Water Consumption	11 liters			
Antibacterial Filter	Yes			
Sound Level (dBA)	49 dBA			
Drying System	Active Drying			
Number of Rack	2 racks			
Overflow & Leakage Protection	Yes			
Delay Timer	Yes (3-6-9 hr)			

General Info				
Half Load Option	YES (1 Mode)			
Express 50	YES			

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
2 FOLD.	PLASTIC	UNIVE	PEG	ADJ. WHEN	PEG TYPE	4 FIXED	PLASTIC
RACKS	HANDLE	RSAL		EMPTY	FOLD. RACKS	MUGSHELF	HANDLE





QW-NS1GI47EX



Key Points				
Capacity	10 PS			
Program Number	8 programmes			
Cabinet Type	45cm			
Energy Label	E			
Water Consumption	9 liters			
Antibacterial Filter	Yes			
Sound Level (dBA)	47 dBA			
Drying System	Turbo Drying			
Number of Rack	3 racks (Easy Tray)			
Overflow & Leakage Protection	Yes			
Delay Timer	Yes (1-2-319hr)			

General Info			
Display	White LED		
Half Load Option	YES (1 Mode)		
Express 50	YES		
HygieneWash	YES		

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
2 FOLD.	PLASTIC	UNIVE	PEG	ADJ. WHEN	PEG TYPE	2 FIXED	PLASTIC
RACKS	HANDLE	RSAL		LOADED	FOLD. RACKS	MUGSHELF	HANDLE



Semi-Integrated 45 cm Range









QW-NS23S47EI



Key Points				
Capacity	10 PS			
Program Number	8 programmes			
Cabinet Type	60cm			
Energy Label	E			
Water Consumption	9 liters			
Antibacterial Filter	YES			
Sound Level (dBA)	47 dBA			
Drying System	Active Drying			
Number of Rack	2 racks			
Overflow & Leakage Protection	YES			
Delay Timer	Yes (1-2-324hr)			

General Info			
Display	White LED		
Half Load Option	YES (3 Modes)		
IntelliWash	YES		
Express 50	YES		

Lower Basket Type	Lower Basket Handle	Cutler y	Basket Type	Upper Basket Height	Upper Basket Type	Upper Basket StemSafe	Upper Basket Handle
2 FOLD.	PLASTIC	UNIVE	PEG	ADJ. WHEN	PEG TYPE	4 FIXED	PLASTIC
RACKS	HANDLE	RSAL		EMPTY	FOLD. RACKS	MUGSHELF	HANDLE



New Projects









A Energy

In 2023, as Vestel we introduced **A** Energy Labelling product as Freestanding and Semi-Integrated to the market and this product will be ready for new energy regulation norms.








16 Place Settings


In 2023, as Vestel we will introduce 16 PS product to the market and this product will be ready for new energy regulation norms.













BALL RAIL SYSTEM ON THE UPPER BASKET







SmoothSlide

Ball rail system facilitates smooth upper basket movement even the upper basket is fully loaded.

New ball bearing rail system provides the movement of the upper basket more smoothly and safely.







Filter

In 2023, as Vestel we will introduce Automatic Filter Cleaning system to the market and this technology provides automatic filter washing at the end of the cycle. It aims providing washing performance as it first using.

60 CM: March 2023







- 60cm A and S series Asynchronous Pump Models


Auto

Glass Safe

In 2023, as Vestel we will introduce Automatic Regeneration product to the market. With this tech., dishwasher makes hardness adjustments itself automatically to prevent corrosion of glassware over

60 CM: May 2023





Self Heating System

This feature is the turbo fan drying system that uses waste water energy and heat.

60 CM: TBC





EPS Free Packaging

In 2023, as Vestel we will introduce EPS Free Packaging to the market and this feature provides that almost 700 trees are prevented from being cut down in a year.

60 CM: June 2023





S Series

2 to 9 programme
Button/Touch Control
LED Indicator/Hidden LED Indicator
E/D/C/B energy labeling
AC/BLDC circulation pump
Active Drying / Turbo Drying
57/54/52/49/47/45/44/42/41/ 39 dBA
12 It water consumption (9lt with aquzone)
1 and 3 mode half load
3-6-9 / 1-24 hours delay timer with LED indicator
Wifi option

Place Settings Options:

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets+ 3rd rack), 14 PS (2 baskets + Knifeshelf), 14 PS (2 baskets+ 3rd rack), 15 PS(2 baskets+3rd rack)

S1- Entry Level- Button Control S2- Mid Level- Button Control S3- High Level- Button Control S1- Entry Level- Touch Control



THANK YOU!

