

Ovens


K-61V28BM1-EN



Highligths

- Pyrolytic & multifunction oven - 68lt, black
- Electronic Control
- 8 Functions
- Wire rack
- Removable Inner Glass
- 4 glass door + door lock
- Energy Class: A
- 2 trays (1 shallow, 1 deep)

SHARP
Be Original.



Taking the hassle out of keeping your oven clean, our removable inner glass oven door makes it incredibly easy to wash even in dishwasher.

SHARP
Be Original.

Key Features

Colour	Black
Warranty (years)	2 years parts and labour
Oven interior material	Pyrolytic enamel
Cleaning type	Pyrolytic
Heat type	Multifunction
Cavity volume (L)	68
Construction type	Built-in
Width (cm)	60
Energy efficiency class	A
Control type	Electronic
Colour LCD	No
Oven Opening	Drop-down door
Door type (number of glass doors)	Full 4 glass oven door (4)
Removable inner glass door	Yes
Rack type	Wire rack
Number of shelf levels	5
Handle	Inox
Timer Type	Touch+ Timer
Air Curtain	No

Dimensions and Weight

Packing Dimensions (WxDxH) (mm)	650x640x650
Net Weight (kg)	36.61
Gross Weight (kg)	38.53
Cavity dimensions (W x H x D) (mm)	475 x 352 x 413
Oven dimensions (W x H x D) (mm)	595 x 595 x 575
Cut-out dimensions (W x H x D) (mm)	580 x 590 x 555
Oven capacity (L)	69

European Article Number

AVS	4974019881379
-----	---------------

Accessories

Oven light	Yes (top)
Soft closing door	No
Telescopic rails	No
RoastPro Meat Probe	No
RoastPro Turnspit	No
Door switch	Yes

Pizza set	Yes (Optional)
Grid	1
Tray	2 (1 shallow, 1 deep)
Main cable	Yes (1.6 m)
Grill pan handle set	Yes

Functions

Number of functions	8
Oven functions	Defrost, Top+Bottom, Top+Bottom+Fan, Grill, Double Grill, Pyrolysis, Double Grill+Fan, Top+Bottom+Fan+Ring
VapClean	No
PowerBoost	No
Temperature range (°C)	50-270

Safety

Cooling fan	Yes
ActiveCool technology	Yes
Door Lock	Yes

Power, Consumption and Voltage

Power rating (W)	2600
------------------	------

Top heating element (W)	1200
Bottom heating element (W)	1100
Grill(W)	1400
Double grill(W)	1400-2600
Fan(W)	23
Fan with fan ring (W)	2000
Energy consumption - static (kWh / cycle)	0.87
Energy consumption - fan forced (kWh / cycle)	0.79
Voltage / Frequency (V) / (Hz)	220-240 / 50
Distribution line fuse / circuit breaker (A)	11.3