

Ovens

KF-66DVDD05BL1-EN



Highligths

SHARP
Be Original.



Taking the hassle out of keeping your oven clean, our removable inner glass oven door makes it incredibly easy to wash even in dishwasher.

SHARP
Be Original.

Key Features

Control type	Knob Control
Oven Opening	Side Opening
Rack type	Mold Runners
Handle	Black Margo Handle
Construction type	Freestanding
Size W x D (cm)	60x60
Cavity inner surface	Easy To Clean Enamel
Knobs	Myra
Top Oven Cavity Volume (lt)	37
Main Oven Cavity Volume (lt)	66
Main Oven Energy Efficiency Class	A
Knob Color	WH-Inox/Silver
Handle Color	Black-Black

Dimensions and Weight

Height	90
Gross Weight (kg)	52,33
Brutto dimensions W x H x D (cm)	645x977x684
Net Weight (kg)	50,25

Net dimensions W x H x D (mm)	600x900x600
-------------------------------	-------------

Power, Consumption, & Voltage

Fuse rating (A)	43
-----------------	----

Accessories

Telescopic rails	No
Main cable	Yes
Spatula	No
Grill pan handle set	1(WITHOUT RACK POSITION GRID)
Main Oven Light	Yes
Tray Grid (Nbr)	1

Functions

PowerBoost	No
Temperature range (°C)	50 - 250
Top Oven Number of Functions	1
Top Oven Functions	GRILL
Main Oven Number of Functions	2
Main Oven Functions	DEFROST / TOP+BOTTOM / TOP+BOTTOM+FANMain Oven VapClean

Safety

Hot surface indicator	Yes
-----------------------	-----

Key Features(Ion Generator)

Colour	Black
--------	-------

Power, Consumption and Voltage

Distribution line fuse / circuit breaker (A)	50
Voltage (V) / Frequency (Hz)	230 V/ 50 Hz
Total Power Rating (W)	9900
Top Oven Grill (W)	1600
Main Oven Top Heating Element (W)	1200
Main Oven Bottom Heating Element (W)	1100
Main Oven Fan (W)	25
Energy consumption - Static (Main Oven) (kWh/cycle)	0,87
Energy consumption - Fan Forced (Main Oven) (kWh/cycle)	0,79

Oven Features

Cleaning type	Enamel(Black)
---------------	---------------

Heat type	Electric
Door Lock	No
Grid (Nbr)	2
Tray (Nbr)	1
Drawer Type	No

Hob Features

Hob type	Vitroc ceramic
Cooking zones (Nbr)	2
Zone dimensions (mm)	4V-01[2X145,2X180]
Hob controls	Knob Control